

# SAFETY DATA SHEET



Product name: CLAROCIT LIQUID  
Revision Date: 2018-11-21  
Document No.: M0159

Page: 1/10  
Print date: 2018-11-21  
SDS-ID: AU-EN/14.0

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product name: CLAROCIT LIQUID  
Cat. No. 40200073, 40200072  
Container size: 500 ml, 1 l

### Relevant identified uses of the substance or mixture and uses advised against

Application: For embedding of materialographic specimens

### Details of the supplier of the safety data sheet

Supplier: Struers Australia  
27 Mayneview Street  
Milton QLD 4064, Australia

Responsible for safety data sheet authoring: Responsible for safety data sheet authoring: DHI  
Any questions to the contents of this safety data sheet should be sent to:  
struers@struers.dk

### Emergency telephone number

Australian Poisons Information Centre: 13 11 26.  
  
+61 7 3512 9600  
(Only during office hours)

# SAFETY DATA SHEET

Product name:	CLAROCIT LIQUID	Page:	2/10
Revision Date:	2018-11-21	Print date:	2018-11-21
Document No.:	M0159	SDS-ID:	AU-EN/14.0

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the substance or mixture

WHS:

- Flammable liquid - Category 2
- Skin corrosion/irritation - Category 2
- Skin Sensitisation - Category 1
- Specific target organ toxicity (single exposure) - Category 3 (respiratory tract irritation)

### Label elements



Danger

Contains:

- Methyl methacrylate
- Tetramethylene dimethacrylate

H225                      Highly flammable liquid and vapour.

H315                      Causes skin irritation.

H317                      May cause an allergic skin reaction.

H335                      May cause respiratory irritation.

P210                      Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261                      Avoid breathing dust/fume/gas/mist/vapours/spray.

P280                      Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352              IF ON SKIN: Wash with plenty of soap and water.

P333 + P313              If skin irritation or rash occurs: Get medical advice/attention.

### Other hazards

The product is highly flammable, and explosive vapours/air mixtures may be formed even at normal room temperatures.

PBT/vPvB:                      No information available.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Mixtures

The product contains: organic solvents, binders and additives.

# SAFETY DATA SHEET

Product name:	CLAROCIT LIQUID	Page:	3/10
Revision Date:	2018-11-21	Print date:	2018-11-21
Document No.:	M0159	SDS-ID:	AU-EN/14.0

## WHS:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
60-100	80-62-6	201-297-1	-	Methyl methacrylate	Flam. Liq. 2;H225 STOT SE 3;H335 Skin Irrit. 2;H315 Skin Sens. 1;H317	D
1-5	67-64-1	200-662-2	-	Acetone	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336 EUH066	
1-<5	2082-81-7	218-218-1	-	Tetramethylene dimethacrylate	Skin Sens. 1B;H317	

References: The full text for all hazard statements is displayed in section 16.

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

Burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Inhalation: Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and bring these instructions.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions. Do not induce vomiting.

### Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

### Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

# SAFETY DATA SHEET

Product name:	CLAROCIT LIQUID	Page:	4/10
Revision Date:	2018-11-21	Print date:	2018-11-21
Document No.:	M0159	SDS-ID:	AU-EN/14.0

---

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

Extinguishing media: Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

### Special hazards arising from the substance or mixture

Specific hazards: During fire, gases hazardous to health may be formed.

### Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Protective equipment: Do not smoke or use open fire, or other sources of ignition. Avoid inhalation of vapours and contact with skin and eyes. For personal protection, see section 8. (\*)

Emergency procedures: No specific recommendations. For personal protection, see section 8. (\*)

### Environmental precautions

Environmental precautions: Avoid discharge into drains, water courses or onto the ground.

### Methods and material for containment and cleaning up

Spill Cleanup Methods: Remove sources of ignition. Dam and absorb spillages with sand, earth or other non-combustible material.

### Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for safe handling

Safe handling advice: Do not smoke or use open fire or other sources of ignition. Avoid inhalation of vapours and contact with skin and eyes. Observe good chemical hygiene practices.

Technical measures: Work practice should minimise contact.

Technical precautions: Local exhaust is recommended.

### Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: Follow rules for flammable liquids.

Storage conditions: Store in tightly closed original container in a well-ventilated place.

### Specific end use(s)

Specific use(s): No information available.

---

# SAFETY DATA SHEET

Product name:	CLAROCIT LIQUID	Page:	5/10
Revision Date:	2018-11-21	Print date:	2018-11-21
Document No.:	M0159	SDS-ID:	AU-EN/14.0

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Occupational exposure limits:

<u>CAS-No.:</u>	<u>Chemical name:</u>	<u>As:</u>	<u>Exposure limits:</u>	<u>Type:</u>	<u>Notes:</u>	<u>References:</u>
67-64-1	Acetone	-	500 ppm	1185 mg/m3	TWA	-
		-	1000 ppm	2375 mg/m3	STEL	15min
80-62-6	Methyl methacrylate	-	50 ppm	208 mg/m3	TWA	-
		-	100 ppm	416 mg/m3	STEL	15min

### Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours. Provide easy access to water supply and eye wash facilities.

Personal protection: Personal protection equipment should be chosen according to relevant AS/NZS standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation and work of brief duration, use suitable respiratory equipment. Use respiratory equipment with gas filter, type AX.

Hand protection: Wear protective gloves. Butyl rubber gloves are recommended.  
Be aware that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Wear goggles/face shield.

Skin protection: Risk of contact: Wear apron or protective clothing in case of splashes.

Hygiene measures: Remove contaminated clothing and wash the skin thoroughly with soap and water after work. When using do not eat, drink or smoke.

Environmental Exposure Controls: Not available.

---

# SAFETY DATA SHEET

Product name: CLAROCIT LIQUID  
Revision Date: 2018-11-21  
Document No.: M0159

Page: 6/10  
Print date: 2018-11-21  
SDS-ID: AU-EN/14.0

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

(\*)

<u>Appearance:</u>	Liquid.
<u>Colour:</u>	Colourless.
<u>Odour:</u>	Ester.
<u>Odour threshold:</u>	Not available.
<u>pH:</u>	Not available.
<u>Melting point:</u>	Not available.
<u>Boiling point:</u>	101 °C
<u>Flash point:</u>	10 °C
<u>Evaporation rate:</u>	Not available.
<u>Flammability (solid, gas):</u>	Not available.
<u>Explosion limits:</u>	2,1-12,5 vol%
<u>Vapour pressure:</u>	47 hPa (20 °C)
<u>Vapour density:</u>	Not available.
<u>Relative density:</u>	Not available.
<u>Solubility:</u>	Miscible with water.
<u>Partition coefficient (n-octanol/water):</u>	Not available.
<u>Auto-ignition temperature (°C):</u>	Not available.
<u>Decomposition temperature (°C):</u>	Not available.
<u>Viscosity:</u>	Not available.
<u>Explosive properties:</u>	The product is highly flammable, and explosive vapours/air mixtures may be formed even at normal room temperatures.
<u>Oxidising properties:</u>	Not available.
<b><u>Other information</u></b>	
<u>Other data:</u>	Volatile Organic Compound (VOC): 691 g/l (calculated)

# SAFETY DATA SHEET

Product name:	CLAROCIT LIQUID	Page:	7/10
Revision Date:	2018-11-21	Print date:	2018-11-21
Document No.:	M0159	SDS-ID:	AU-EN/14.0

---

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

Reactivity: No data available.

### Chemical stability

Stability: Stable under normal temperature conditions.

### Possibility of hazardous reactions

Hazardous Reactions: Polymerises generating heat.

### Conditions to avoid

Conditions/materials to avoid: Avoid exposure to high temperatures or direct sunlight.

### Incompatible materials

Incompatible materials: Avoid contact with oxidising agents.

### Hazardous decomposition products

Hazardous decomposition products: No information available.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on toxicological effects

Acute Toxicity (Oral): Based on available data the classification criteria are not met.

Acute Toxicity (Dermal): Based on available data the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data the classification criteria are not met.

Skin Corrosion/Irritation: Causes skin irritation.

Serious eye damage/irritation: Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: May cause an allergic skin reaction.

Germ cell mutagenicity: Based on available data the classification criteria are not met.

Carcinogenicity: Based on available data the classification criteria are not met.  
National Toxicology Program (NTP): No.  
IARC Cancer Review: Group 3 for Methyl methacrylate.

Reproductive Toxicity: Based on available data the classification criteria are not met.

STOT - Single exposure: May cause respiratory irritation.

STOT - Repeated exposure: Based on available data the classification criteria are not met.

Aspiration hazard: Based on available data the classification criteria are not met.

Inhalation: Vapours may cause headache, fatigue, dizziness and nausea.

Skin contact: Contains components which may penetrate the skin.

Eye contact: May irritate and cause redness and pain.

Ingestion: Irritating. May be absorbed in the body and cause dizziness, nausea and vomiting.

Specific effects: Frequent inhalation of even small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain.

---

# SAFETY DATA SHEET

Product name:	CLAROCIT LIQUID	Page:	8/10
Revision Date:	2018-11-21	Print date:	2018-11-21
Document No.:	M0159	SDS-ID:	AU-EN/14.0

---

## SECTION 12: ECOLOGICAL INFORMATION

### **Toxicity**

Ecotoxicity: The product is not expected to be hazardous to the environment.

### **Persistence and degradability**

Degradability: The degradability of the product has not been stated.

### **Bioaccumulative potential**

Bioaccumulative potential: No data available on bioaccumulation.

### **Mobility in soil**

Mobility: No data available.

### **Results of PBT and vPvB assessment**

PBT/vPvB: No information available.

### **Other adverse effects**

Other adverse effects: No information available.

## SECTION 13: DISPOSAL CONSIDERATIONS

### **Waste treatment methods**

Waste from residues: Dispose of waste and residues in accordance with local authority requirements.  
For personal protection, see section 8.  
Hazardous characteristics of waste: H3 (Flammable liquids) (\*)

Contaminated packaging: Dispose of waste and residues in accordance with local authority requirements.

---



# SAFETY DATA SHEET

Product name:	CLAROCIT LIQUID	Page:	9/10
Revision Date:	2018-11-21	Print date:	2018-11-21
Document No.:	M0159	SDS-ID:	AU-EN/14.0

---

## SECTION 14: TRANSPORT INFORMATION

The product is covered by international regulation on the transport of dangerous goods (IMDG, IATA).

### UN number

UN-No: 1866

### UN proper shipping name

Proper Shipping Name: RESIN SOLUTION, flammable (Methyl methacrylate)

Additional IMDG information:

EmS: F-E, S-E

MFAG: 1

### Transport hazard class(es)

Class: 3

### Packing group

PG: II

### Environmental hazards

Marine pollutant: No.

Environmentally Hazardous substance: No.

### Special precautions for user

Special precautions: None known.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant.

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: AICS: Listed.

National regulation: Work Health and Safety Regulations 2011, with amendments.  
National model Code of Practice for the Labelling of Workplace Hazardous Chemicals (2011), with amendments.  
National model Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals (2011), with amendments.  
Workplace exposure standards for airborne contaminants (2018).  
The Industrial Chemicals (Notification and Assessment) Act 1989, as amended.  
Hazardous Waste (Regulation of Exports and Imports) Act 1989, with amendments.

---

# SAFETY DATA SHEET

Product name:	CLAROCIT LIQUID	Page:	10/10
Revision Date:	2018-11-21	Print date:	2018-11-21
Document No.:	M0159	SDS-ID:	AU-EN/14.0

---

## SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 6, 9, 13.

The (\*) indicates the changes made with respect to the previous version.

Approved by DHI.

*Allan Vorup*

### Additional information:

Classification according to WHS Regulations 2011:  
Calculation method.

### Wording of H-statements:

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H413	May cause long lasting harmful effects to aquatic life.

---

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.  
[www.dhigroup.com](http://www.dhigroup.com).