

Product name: ELECTROLYTE A2-I
Revision Date: 2018-11-08
Document No.: M0010

Page: 1/10
Print date: 2018-11-08
SDS-ID: CA-EN/19.0

1. IDENTIFICATION

Product identifier

Product name: ELECTROLYTE A2-I
Cat. No. 40900009 (part of Cat. No.40900008)

Container size: 920 ml

Recommended use and restrictions on use

Application: For electrolytic preparation of metallographic specimens. (*)

Details of the supplier of the safety data sheet

Supplier: Struers Ltd
7275 West Credit Avenue
Ontario L5N 5M9 Mississauga
Canada
Tel: +1 (905) 8148855

Responsible for safety data sheet authoring: Responsible for safety data sheet authoring: DHI
Any questions to the contents of this safety data sheet should be sent to:
struers@struers.dk

Emergency telephone number

Alberta & NWT:
Poison & Drug Information Service (PADIS): 1-800-332-1414
British Columbia:
Drug and Poison Information Centre (DPIC): 604-682-5050 / 1-800-567-8911
Ontario:
Poison Centre: 1-800-268-9017
Québec:
Poison Control Centre: 1-800-463-5060

Infotrac:
1-800-535-5053
Struers CAN:
+1 (905) 8148855
(Only during office hours)

2. HAZARDS IDENTIFICATION

Classification of the hazardous product

WHMIS 2015: Flammable Liquids — Category 2
Skin Irritation — Category 2
Eye Irritation — Category 2

SAFETY DATA SHEET

Product name:	ELECTROLYTE A2-I	Page:	2/10
Revision Date:	2018-11-08	Print date:	2018-11-08
Document No.:	M0010	SDS-ID:	CA-EN/19.0

Label elements



Danger

- | | |
|--------------------|--|
| H225 | Highly flammable liquid and vapour. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337 + P313 | If eye irritation persists: Get medical advice/attention. |
| P403 + P235 | Store in a well-ventilated place. Keep cool. |
| P501 | Dispose of contents/container in accordance with local regulations. |
| P233 | Keep container tightly closed. |
| P240 | Ground and bond container and receiving equipment. |
| P241 | Use explosion-proof electrical, ventilating and lighting equipment. |
| P242 | Use non-sparking tools. |
| P243 | Take action to prevent static discharges. |
| P264 | Wash contaminated skin thoroughly after handling. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. |
| P332 + P313 | If skin irritation occurs: Get medical advice/attention. |
| P362 + P364 | Take off contaminated clothing and wash it before reuse. |
| P370 + P378 | In case of fire: Use alcohol resistant foam, carbon dioxide or dry powder to extinguish. |

Other hazards

The product is highly flammable, and explosive vapors/air mixtures may be formed even at normal room temperatures. Organic solvents may be absorbed into the body by inhalation and ingestion and cause permanent damage to the nervous system, including the brain.

PBT/vPvB: No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

The product contains: organic solvents and water.

SAFETY DATA SHEET

Product name:	ELECTROLYTE A2-I	Page:	3/10
Revision Date:	2018-11-08	Print date:	2018-11-08
Document No.:	M0010	SDS-ID:	CA-EN/19.0

WHMIS 2015:

%:	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
65-85	64-17-5	200-578-6	01-2119457610-43-xxxx	Ethanol	Flammable Liquids Category 2 Eye Irritation Category 2	
10<-15	111-76-2	203-905-0	-	2-Butoxyethanol	Acute (Inhalation) Toxicity Category 4 Acute (Dermal) Toxicity Category 4 Acute (Oral) Toxicity Category 4 Eye Irritation Category 2 Skin Irritation Category 2	
5-15	7732-18-5	231-791-2	-	Water	-	

4. FIRST-AID MEASURES

Description of first-aid measures

Burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Inhalation: Move into fresh air and keep at rest.

Skin contact: Remove contaminated clothes and rinse skin thoroughly with water.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Continue flushing during transport to hospital. Bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions. Do not induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SAFETY DATA SHEET

Product name:	ELECTROLYTE A2-I	Page:	4/10
Revision Date:	2018-11-08	Print date:	2018-11-08
Document No.:	M0010	SDS-ID:	CA-EN/19.0

5. FIRE-FIGHTING MEASURES

Extinguishing media

Extinguishing media: Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the hazardous product

Specific hazards: The product is flammable, and heating may generate vapors which may form explosive vapor/air mixtures. Vapors are heavier than air and may travel along the floor and in the bottom of containers. Vapors may be ignited by a spark, a hot surface or an ember.

Advice for fire-fighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Protective equipment: Do not smoke or use open fire, or other sources of ignition. Avoid inhalation of vapors and contact with skin and eyes. For personal protection, see section 8. (*)

Emergency procedures: No specific recommendations. For personal protection, see section 8. (*)

Environmental precautions

Environmental precautions: Do not discharge into drains, water courses or onto the ground.

Methods and material for containment and cleaning up

Spill Cleanup Methods: Large quantities of concentrate should not be discharged into the drain but removed with absorbing material. Absorb spillage with non-combustible, absorbent material.

Reference to other items

References: For personal protection, see section 8. For waste disposal, see section 13.

SAFETY DATA SHEET

Product name:	ELECTROLYTE A2-I	Page:	5/10
Revision Date:	2018-11-08	Print date:	2018-11-08
Document No.:	M0010	SDS-ID:	CA-EN/19.0

7. HANDLING AND STORAGE

Precautions for safe handling

Safe handling advice: Avoid inhalation of vapors and contact with skin and eyes. Observe good chemical hygiene practices.

Technical measures: Do not smoke or use open fire or other sources of ignition.

Technical precautions: Local exhaust is recommended.

Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: Follow rules for flammable liquids.

Storage conditions: Store in a cool and well-ventilated place. Avoid contact with oxidizing agents.

Specific end-use(s)

Specific use(s): No information available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Other provincial OEL's may apply.

Occupational exposure limits:

<u>CAS-No.:</u>	<u>Chemical name:</u>	<u>As:</u>	<u>Exposure limits:</u>		<u>Type:</u>	<u>Notes:</u>	<u>References:</u>
64-17-5	Ethyl alcohol	-	1000 ppm	1880 mg/m3	TWA	-	Quebec
64-17-5	Ethyl alcohol	-	1000 ppm	1880 mg/m3	TWA	-	Alberta
64-17-5	Ethanol	-	1000 ppm		STEL	-	BC
111-76-2	2-Butoxyethanol	-	20 ppm	97 mg/m3	TWA	3	Alberta
111-76-2	2-Butoxyethanol	-	20 ppm		TWA	-	BC
111-76-2	2-Butoxyethanol	-	25 ppm	121 mg/m3	TWA	Pc	Quebec

Exposure controls

Engineering measures: Provide adequate ventilation. Observe occupational exposure limits and minimise the risk of inhalation of vapours.

Personal protection: Personal protection equipment should be chosen according to relevant standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation and work of brief duration, use suitable respiratory equipment. Use respiratory equipment with gas filter, type A2.

Hand protection: Wear protective gloves. Nitrile gloves are recommended. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Risk of splashes: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of splashes.

Environmental Exposure Controls: Not available.

SAFETY DATA SHEET

Product name: ELECTROLYTE A2-I
Revision Date: 2018-11-08
Document No.: M0010

Page: 6/10
Print date: 2018-11-08
SDS-ID: CA-EN/19.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

(*)

<u>Form:</u>	Liquid.
<u>Colour:</u>	Colourless.
<u>Odour:</u>	odour of alcohol
<u>Odour threshold:</u>	Not available.
<u>pH:</u>	Not applicable.
<u>Melting point:</u>	Not available.
<u>Boiling point:</u>	85°C
<u>Flash point:</u>	12°C
<u>Evaporation rate:</u>	Not available.
<u>Flammability (solid, gas):</u>	Not available.
<u>Explosion limits:</u>	2 - 12 vol%
<u>Vapour pressure:</u>	Not available.
<u>Vapour density:</u>	Not available.
<u>Relative density:</u>	0,83
<u>Solubility:</u>	Miscible with water.
<u>Partition coefficient (n-octanol/water):</u>	Not available.
<u>Auto-ignition temperature (°C):</u>	Not available.
<u>Decomposition temperature (°C):</u>	Not available.
<u>Viscosity:</u>	Not available.
<u>Explosive properties:</u>	Not available.
<u>Oxidising properties:</u>	Not available.

Other information

Other data: Volatile Organic Compound (VOC): 747 g/l (calculated)

SAFETY DATA SHEET

Product name:	ELECTROLYTE A2-I	Page:	7/10
Revision Date:	2018-11-08	Print date:	2018-11-08
Document No.:	M0010	SDS-ID:	CA-EN/19.0

10. STABILITY AND REACTIVITY

Reactivity

Reactivity: No data available.

Chemical stability

Stability: Stable under normal temperature conditions.

Possibility of hazardous reactions

Hazardous Reactions: No data available.

Conditions to avoid

Conditions/materials to avoid: Avoid exposing to heat and contact with strong oxidizing substances.

Incompatible materials

Incompatible materials: No information available.

Hazardous decomposition products

Hazardous decomposition products: None in particular.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute Toxicity (Oral): Based on available data, the classification criteria are not met.

Acute Toxicity (Dermal): Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Causes skin irritation.

Serious eye damage/irritation: Causes serious eye irritation.

Respiratory or skin sensitization: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.
National Toxicology Program (NTP): No.
IARC Cancer Review: Group 3 for 2-Butoxyethanol.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: Vapors may irritate throat and respiratory system and cause coughing. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. In serious cases, unconsciousness and permanent damage to the brain and liver may be seen.

Skin contact: Contains butoxyethanol which may penetrate the skin.

Ingestion: May irritate and cause malaise.

Specific effects: The product contains butoxyethanol which is suspected of having harmful longterm effects on the kidneys and nervous system.

SAFETY DATA SHEET

Product name:	ELECTROLYTE A2-I	Page:	8/10
Revision Date:	2018-11-08	Print date:	2018-11-08
Document No.:	M0010	SDS-ID:	CA-EN/19.0

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity: The environmental hazard of the product is considered to be limited.

Persistence and degradability

Degradability: The product is potentially degradable. BOD20 \geq 78%

Bioaccumulative potential

Bioaccumulative potential: The product is not bio-accumulating.

Mobility in soil

Mobility: No data available.

Results of PBT and vPvB assessment

PBT/vPvB: No information available.

Other adverse effects

Other adverse effects: No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues: Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Waste is classified as hazardous waste.

Contaminated packaging: Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

SAFETY DATA SHEET

Product name:	ELECTROLYTE A2-I	Page:	9/10
Revision Date:	2018-11-08	Print date:	2018-11-08
Document No.:	M0010	SDS-ID:	CA-EN/19.0

14. TRANSPORT INFORMATION

The product is covered by international regulation on the transport of dangerous goods (IMDG, IATA).

UN number

UN-No: 1993

UN proper shipping name

Proper Shipping Name: FLAMMABLE LIQUID, N.O.S (Ethanol, 2-Butoxyethanol mixture)

Additional IMDG information:

EmS: F-E, S-E (*)

MFAG: 1

Transport hazard class(es)

Class: 3

Packing group

PG: II

Environmental hazards

Marine pollutant: No.

Environmentally Hazardous substance: No.

Special precautions for user

Special precautions: None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant

SAFETY DATA SHEET

Product name:	ELECTROLYTE A2-I	Page:	10/10
Revision Date:	2018-11-08	Print date:	2018-11-08
Document No.:	M0010	SDS-ID:	CA-EN/19.0

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific to the product

Special provisions: This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.
DSL: All chemicals included in the product are DSL listed or exempt.

National regulation: Hazardous Products Regulations, with amendments.
Canadian Environmental Protection Act, Reporting for the Domestic Substances List (DSL), with amendments.
U.S. Department of health and human services: 2011 - Report on Carcinogens - 12th Edition.
International Agency for Research on Cancer (IARC): IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon: IARC, World Health Organization.
British Columbia: Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, with amendments (2015).
Ontario: Control of Exposure to Biological or Chemical Agents R.R.O. 1990, Reg. 833, with amendments (2016).
Quebec: Regulation respecting the quality of the work environment, with amendments (2013-12-13).
Alberta: Occupational Health and Safety Code 2009.

16. OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1, 6, 9, 14.
The (*) indicates the changes made with respect to the previous version.

Approved by DHI.



Additional information: Classification according to WHMIS 2015:
Calculation method.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
www.dhigroup.com.