

SAFETY DATA SHEET



Product name: SHELL TELLUS S3 M 32
Revision Date: 2017-02-20
Document No.: M0203

Page: 1/9
Print date: 2017-02-20
SDS-ID: US-EN/1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name: SHELL TELLUS S3 M 32
Cat. No. 16080850

Container size: 1 L

Relevant identified uses of the substance or mixture and uses advised against

Application: Hydraulic oil.

Details of the supplier of the safety data sheet

Supplier: Struers ApS
Pederstrupvej 84
DK-2750 Ballerup
Tel:+45 44 600 800

Responsible for material safety data sheet authoring: Responsible for material safety data sheet authoring: DHI
Any questions to the contents of this material safety data sheet should be sent to:
struers@struers.dk

Emergency telephone number

Emergency telephone: National Capital Poison Center: 1-800-222-1222

Infotrac:
1-800-535-5053
Struers US:
1-440-871-0071

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA 2012: The product is not classified.

Label elements

The substance/mixture does not meet the criteria for classification and labeling.

NFPA Rating: Health:1 Fire:1 Reactivity:0 Other:-

Other hazards

Prolonged or repeated contact with skin may cause redness, itching, irritation, eczema, skin cracking and oil acne. May cause minor irritation on eye contact. The harmful effects may increase in used oil. Oil spills are generally hazardous to the environment.

PBT/vPvB: No information available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

The product contains: Highly refined mineral oil and additives.

SAFETY DATA SHEET

Product name:	SHELL TELLUS S3 M 32	Page:	2/9
Revision Date:	2017-02-20	Print date:	2017-02-20
Document No.:	M0203	SDS-ID:	US-EN/1.0

OSHA 2012:

%:	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
<90	-	-	-	Baseoil-unspecified	Asp. Tox. 1;H304	L

Notes: L: DMSO < 3% (IP 346)
Contains: 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65-0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69-9 (01-0000020163-82).

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or coughing or after inhalation of oil mist: Seek medical attention and bring along these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions. Do not induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Special hazards arising from the substance or mixture

Specific hazards: When heated and in case of fire, toxic vapors/gases may be formed.

Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SAFETY DATA SHEET

Product name:	SHELL TELLUS S3 M 32	Page:	3/9
Revision Date:	2017-02-20	Print date:	2017-02-20
Document No.:	M0203	SDS-ID:	US-EN/1.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation of oil mist and contact with skin and eyes. In case of spills, beware of slippery floors and surfaces.

Environmental precautions

Environmental precautions: Do not discharge into drains, water courses or onto the ground.

Methods and material for containment and cleaning up

Spill Cleanup Methods: Absorb spillage with oil-absorbing material.

Reference to other sections

References: For personal protection, see section 8.
For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Safe handling advice: Avoid inhalation of oil mist and contact with skin and eyes. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets. Observe good chemical hygiene practices.

Technical measures: Work practice should minimize contact. Use work methods which minimize oil mist production.

Technical precautions: When working with heated oil, mechanical ventilation may be required.

Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: No special precautions.

Storage conditions: Store in tightly closed original container in a dry, cool and well-ventilated place.

Specific end use(s)

Specific use(s): No information available.

SAFETY DATA SHEET

Product name:	SHELL TELLUS S3 M 32	Page:	4/9
Revision Date:	2017-02-20	Print date:	2017-02-20
Document No.:	M0203	SDS-ID:	US-EN/1.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits:

<u>CAS-No.:</u>	<u>Chemical name:</u>	<u>As:</u>	<u>Exposure limits:</u>	<u>Type:</u>	<u>Notes:</u>	<u>References:</u>
-	Oil mineral, mist	-	5 mg/m3	TWA	-	OSHA
-	Mineral oil, excluding metal working fluids (pure, highly and severely refined), inhalable particulate matter	-	5 mg/m3	TWA	A4	ACGIH
-	Oil mist (mineral)	-	5 mg/m3	TWA	-	NIOSH
		-	10 mg/m3	ST	15min	

Notes: A4: Not Classifiable as a Human Carcinogen.

Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and oil mist. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.

Personal protection: Personal protection equipment should be chosen according to the ANSI standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with combination filter (type A2/P3) can be used.

Hand protection: Risk of contact: Wear protective gloves. Nitrile gloves are recommended. Other types of gloves can be recommended by the glove supplier. Nitrile gloves or rubber gloves are recommended.

Eye protection: Risk of contact: Wear goggles/face shield.

Skin protection: No special precautions.

Hygiene measures: Wash hands after contact. Wash contaminated clothing before reuse.

Environmental Exposure Controls: Not available.

SAFETY DATA SHEET

Product name: SHELL TELLUS S3 M 32
Revision Date: 2017-02-20
Document No.: M0203

Page: 5/9
Print date: 2017-02-20
SDS-ID: US-EN/1.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance: Liquid.
Color: Amber.
Odor: Hydrocarbon.
pH: Not applicable.
Boiling point: >536°F
Flash point: 419°F
Explosion limits: 1 - 10% (V)
Vapor pressure: <0.5 Pa (68°F)
Relative density: 0,855 (59°F)
Solubility: insoluble in water
Auto-ignition temperature (°C): >608°F
Viscosity: Kinematic viscosity: 32 mm²/s (104 °F)

Other information

Other data: Volatile Organic Compound (VOC): 0 g/l

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Reactivity: None known.

Chemical stability

Stability: Stable under normal temperature conditions.

Possibility of hazardous reactions

Hazardous Reactions: None known.

Conditions to avoid

Conditions/materials to avoid: Extremes of temperatures. Direct sunlight. Heat, sparks, flames.

Incompatible materials

Incompatible materials: Strong oxidizing substances.

Hazardous decomposition products

Hazardous decomposition products: None known.

SAFETY DATA SHEET

Product name:	SHELL TELLUS S3 M 32	Page:	6/9
Revision Date:	2017-02-20	Print date:	2017-02-20
Document No.:	M0203	SDS-ID:	US-EN/1.0

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

The harmful effects may increase in used oil.

<u>Acute Toxicity (Oral):</u>	Based on available data, the classification criteria are not met.
<u>Acute Toxicity (Dermal):</u>	Based on available data, the classification criteria are not met.
<u>Acute Toxicity (Inhalation):</u>	Based on available data, the classification criteria are not met.
<u>Skin Corrosion/Irritation:</u>	Based on available data, the classification criteria are not met.
<u>Serious eye damage/irritation:</u>	Based on available data, the classification criteria are not met.
<u>Respiratory or skin sensitization:</u>	Based on available data, the classification criteria are not met.
<u>Germ cell mutagenicity:</u>	Based on available data, the classification criteria are not met.
<u>Carcinogenicity:</u>	Based on available data, the classification criteria are not met.
<u>Reproductive Toxicity:</u>	Based on available data, the classification criteria are not met.
<u>STOT - Single exposure:</u>	Based on available data, the classification criteria are not met.
<u>STOT - Repeated exposure:</u>	Based on available data, the classification criteria are not met.
<u>Aspiration hazard:</u>	Based on available data, the classification criteria are not met.
<u>Inhalation:</u>	Inhalation of oil mist or vapors formed during heating of the product will irritate the respiratory system and provoke coughing.
<u>Skin contact:</u>	Degreasing. Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. Prolonged or repeated contact with used oil may cause serious skin diseases, such as dermatitis.
<u>Eye contact:</u>	Direct contact may irritate.
<u>Ingestion:</u>	May irritate and cause malaise.
<u>Specific effects:</u>	Carcinogenicity: IARC Cancer Review: Group 3 for Highly-refined oils. I.A.R.C. Monographs: No. OSHA: No.
<u>Additional information:</u>	Handling of used oils: Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.

SAFETY DATA SHEET

Product name:	SHELL TELLUS S3 M 32	Page:	7/9
Revision Date:	2017-02-20	Print date:	2017-02-20
Document No.:	M0203	SDS-ID:	US-EN/1.0

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecotoxicity: Oil spills are generally hazardous to the environment.

Persistence and degradability

Degradability: This product is expected to be heavily biodegradable.

Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

Mobility in soil

Mobility: No data available.

Results of PBT and vPvB assessment

PBT/vPvB: No information available.

Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues: Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, DOT).

UN number

UN-No: -

UN proper shipping name

Proper Shipping Name: -

Transport hazard class(es)

Class: -

Packing group

PG: -

Environmental hazards

Marine pollutant: -

Environmentally Hazardous substance: -

Special precautions for user

Special precautions: None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not known.

SAFETY DATA SHEET

Product name:	SHELL TELLUS S3 M 32	Page:	8/9
Revision Date:	2017-02-20	Print date:	2017-02-20
Document No.:	M0203	SDS-ID:	US-EN/1.0

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: State and local regulation may apply.

TSCA: Listed.

SARA (311/312) Hazard categories: No hazard.

National regulation:

The following lists have been checked:

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and Health Standards, Air contaminants (OSHA), with amendments.

NIOSH Pocket Guide to Chemical Hazards.

Threshold Limit Values (2016), ACGIH, by the American Conference on Governmental Industrial Hygienists.

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and Health Standards, Hazard Communication, with amendments.

U.S. Department of health and human services: 2014 - Report on Carcinogens - 13th Edition.

International Agency for Research on Cancer (IARC): IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon: IARC, World Health Organization.

State of California. Environmental Protection Agency. California Proposition 65, with amendments.

SAFETY DATA SHEET

Product name:	SHELL TELLUS S3 M 32	Page:	9/9
Revision Date:	2017-02-20	Print date:	2017-02-20
Document No.:	M0203	SDS-ID:	US-EN/1.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: -

The (*) indicates the changes made with respect to the previous version.

Approved by DHI.



Additional information:

Classification according to HCS 2012:
Calculation method.

Wording of H-statements:

H304 May be fatal if swallowed and enters airways.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
www.dhigroup.com.
