

Product name:	EUKITT	Page:	1/13
Revision Date:	2018-12-04	Print date:	2018-12-04
Document No.:	M0035	SDS-ID:	CA-EN/20.0

1. IDENTIFICATION

Product identifier

Product name: EUKITT
Cat. No. 41000004

Container size: 500 ml

Recommended use and restrictions on use

Application: Adhesive.

Details of the supplier of the safety data sheet

Supplier: Struers Ltd
7275 West Credit Avenue
Ontario L5N 5M9 Mississauga
Canada
Tel: +1 (905) 8148855

Responsible for safety data sheet authoring: Responsible for safety data sheet authoring: DHI
Any questions to the contents of this safety data sheet should be sent to:
struers@struers.dk

Emergency telephone number

Alberta & NWT:
Poison & Drug Information Service (PADIS): 1-800-332-1414

British Columbia:
Drug and Poison Information Centre (DPIC): 604-682-5050 / 1-800-567-8911

Ontario:
Poison Centre: 1-800-268-9017

Québec:
Poison Control Centre: 1-800-463-5060

Infotrac:
1-800-535-5053

Struers CAN:
+1 (905) 8148855
(Only during office hours)

2. HAZARDS IDENTIFICATION

Classification of the hazardous product

WHMIS 2015: Flammable Liquids — Category 3
Acute (Dermal) Toxicity — Category 4
Acute (Inhalation) Toxicity — Category 4
Skin Irritation — Category 2
Eye Irritation — Category 2
Specific Target Organ Toxicity — Single Exposure — Category 3 (respiratory tract irritation)
Specific Target Organ Toxicity — Repeated Exposure — Category 2

Label elements

SAFETY DATA SHEET

Product name:	EUKITT	Page:	2/13
Revision Date:	2018-12-04	Print date:	2018-12-04
Document No.:	M0035	SDS-ID:	CA-EN/20.0



Warning

H226	Flammable liquid and vapour.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314	Get medical advice/attention if you feel unwell.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash skin thoroughly after handling.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use alcohol resistant foam, carbon dioxide or dry powder to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local regulations.

SAFETY DATA SHEET

Product name:	EUKITT	Page:	3/13
Revision Date:	2018-12-04	Print date:	2018-12-04
Document No.:	M0035	SDS-ID:	CA-EN/20.0

Other hazards

Contains n-Butyl methacrylate, Methyl methacrylate. May produce an allergic reaction.
Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. The product contains a substance which has a photochemical ozone creation potential.

PBT/vPvB: No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

The product contains: organic solvent and acrylic resin.

SAFETY DATA SHEET

Product name:	EUKITT	Page:	4/13
Revision Date:	2018-12-04	Print date:	2018-12-04
Document No.:	M0035	SDS-ID:	CA-EN/20.0

WHMIS 2015:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
60-100	1330-20-7	215-535-7	01-2119488216-32-xxxx	Xylene	Flammable Liquids Category 3 Acute (Dermal) Toxicity Category 4 Acute (Inhalation) Toxicity Category 4 Skin Irritation Category 2 Eye Irritation Category 2 Specific Target Organ Toxicity Single Exposure Category 3 Category 2 Target organ toxicant, Repeated Exposure Aspiration Hazard Category 1	C
1	100-41-4	202-849-4	01-2119489370-35-xxxx	Ethylbenzene	Flammable Liquids Category 2 Acute (Inhalation) Toxicity Category 4 Category 2 Target organ toxicant, Repeated Exposure Aspiration Hazard Category 1 Aquatic Chronic Toxicity Category 3	
0.1-<1	97-88-1	202-615-1	-	n-Butyl methacrylate	Flammable Liquids Category 3 Eye Irritation Category 2 Specific Target Organ Toxicity Single Exposure Category 3 Skin Irritation Category 2 Skin Sensitizer Category 1	D
0.1-<1	80-62-6	201-297-1	-	Methyl methacrylate	Flammable Liquids Category 2 Specific Target Organ Toxicity Single Exposure Category 3 Skin Irritation Category 2 Skin Sensitizer Category 1	D

SAFETY DATA SHEET

Product name:	EUKITT	Page:	5/13
Revision Date:	2018-12-04	Print date:	2018-12-04
Document No.:	M0035	SDS-ID:	CA-EN/20.0

4. FIRST-AID MEASURES

Description of first-aid measures

Burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Inhalation: Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and take along these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water or milk. Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport immediately to hospital and bring along these instructions.

Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing media

Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the hazardous product

Specific hazards: By heating and fire, harmful vapors/gases may be formed.

Advice for fire-fighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SAFETY DATA SHEET

Product name:	EUKITT	Page:	6/13
Revision Date:	2018-12-04	Print date:	2018-12-04
Document No.:	M0035	SDS-ID:	CA-EN/20.0

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Protective equipment: Avoid inhalation of vapors and contact with skin and eyes. Do not smoke or use open fire, or other sources of ignition. For personal protection, see section 8. (*)

Emergency procedures: No specific recommendations. For personal protection, see section 8. (*)

Environmental precautions

Environmental precautions: Avoid discharge into drains, water courses or onto the ground.

Methods and material for containment and cleaning up

Spill Cleanup Methods: Absorb spillage with non-combustible, absorbent material. Do not use sawdust or other combustible material.

Reference to other items

References: For personal protection, see section 8. For waste disposal, see section 13.

7. HANDLING AND STORAGE

Precautions for safe handling

Safe handling advice: Avoid inhalation of vapors and contact with skin and eyes. Do not smoke or use open fire, or other sources of ignition. Observe good chemical hygiene practices.

Technical measures: Work practice should minimize contact.

Technical precautions: Local exhaust is recommended.

Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: Follow rules for flammable liquids.

Storage conditions: Store in a cool and well-ventilated place. Avoid contact with oxidizing agents.

Specific end-use(s)

Specific use(s): No information available.

SAFETY DATA SHEET

Product name:	EUKITT	Page:	7/13
Revision Date:	2018-12-04	Print date:	2018-12-04
Document No.:	M0035	SDS-ID:	CA-EN/20.0

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Other provincial OEL's may apply.

Occupational exposure limits:

<u>CAS-No.:</u>	<u>Chemical name:</u>	<u>As:</u>	<u>Exposure limits:</u>		<u>Type:</u>	<u>Notes:</u>	<u>References:</u>
1330-20-7	Xylene (o-,m-,p-isomers)	-	100 ppm	434 mg/m3	TWA	-	Quebec
		-	150 ppm	651 mg/m3	STEL	15min	
1330-20-7	Xylene (o, m, p isomers)	-	100 ppm		TWA	-	BC
		-	150 ppm		STEL	-	
100-41-4	Ethyl benzene	-	100 ppm	434 mg/m3	TWA	-	Quebec
		-	125 ppm	543 mg/m3	STEL	15min	
100-41-4	Ethyl benzene	-	100 ppm		TWA	2B	BC
		-	125 ppm		STEL	2B;	
80-62-6	Methyl methacrylate (monomer)	-	100 ppm	410 mg/m3	TWA	S	Quebec

Notes: 2B: Possibly carcinogen to humans (IARC).
S: Sensitizer.

Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors. Provide easy access to water supply or an emergency shower.

Personal protection: Personal protection equipment should be chosen according to relevant standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation: Use respiratory equipment with gas filter, type A2.

Hand protection: Wear protective gloves. Use protective gloves made of: Viton rubber (fluor rubber).
The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Risk of splashes: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of splashes.

Environmental Exposure Controls: Not available.

SAFETY DATA SHEET

Product name:	EUKITT	Page:	8/13
Revision Date:	2018-12-04	Print date:	2018-12-04
Document No.:	M0035	SDS-ID:	CA-EN/20.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

(*)

<u>Form:</u>	Liquid.
<u>Colour:</u>	Colourless.
<u>Odour:</u>	of solvents
<u>Odour threshold:</u>	Not available.
<u>pH:</u>	Not available.
<u>Melting point:</u>	Not available.
<u>Boiling point:</u>	136°C / 276.8°F
<u>Flash point:</u>	23°C / 73.4°F
<u>Evaporation rate:</u>	Not available.
<u>Flammability (solid, gas):</u>	Not available.
<u>Explosion limits:</u>	0,9 - 7% (Xylene)
<u>Vapour pressure:</u>	8 hPa (Xylene) (20°C)
<u>Vapour density:</u>	Not available.
<u>Relative density:</u>	0,95
<u>Solubility:</u>	insoluble in water Soluble in: Ethanol
<u>Partition coefficient (n-octanol/water):</u>	Not available.
<u>Auto-ignition temperature (°C):</u>	>250°C / >482°F
<u>Decomposition temperature (°C):</u>	Not available.
<u>Viscosity:</u>	Dynamic viscosity: 250-450 mPas (20°C) Kinematic viscosity: 200-400 mm²/s (20°C)
<u>Explosive properties:</u>	Not available.
<u>Oxidising properties:</u>	Not available.
<u>Other information</u>	
<u>Other data:</u>	Volatile Organic Compound (VOC): 570 g/l (calculated)

SAFETY DATA SHEET

Product name:	EUKITT	Page:	9/13
Revision Date:	2018-12-04	Print date:	2018-12-04
Document No.:	M0035	SDS-ID:	CA-EN/20.0

10. STABILITY AND REACTIVITY

Reactivity

Reactivity: No data available.

Chemical stability

Stability: Stable under normal temperature conditions.

Possibility of hazardous reactions

Hazardous Reactions: No data available.

Conditions to avoid

Conditions/materials to avoid: Avoid heat, flames and other sources of ignition.

Incompatible materials

Incompatible materials: Avoid contact with oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products: During fire, toxic gases (CO, CO₂) are formed.

SAFETY DATA SHEET

Product name:	EUKITT	Page:	10/13
Revision Date:	2018-12-04	Print date:	2018-12-04
Document No.:	M0035	SDS-ID:	CA-EN/20.0

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

<u>Acute Toxicity (Oral):</u>	Based on available data, the classification criteria are not met.
<u>Acute Toxicity (Dermal):</u>	Harmful in contact with skin.
<u>Acute Toxicity (Inhalation):</u>	Harmful if inhaled.
<u>Skin Corrosion/Irritation:</u>	Causes skin irritation.
<u>Serious eye damage/irritation:</u>	Causes serious eye irritation.
<u>Respiratory or skin sensitization:</u>	Based on available data, the classification criteria are not met.
<u>Germ cell mutagenicity:</u>	Based on available data, the classification criteria are not met.
<u>Carcinogenicity:</u>	Based on available data, the classification criteria are not met. National Toxicology Program (NTP): No. IARC Cancer Review: Group 3 for Xylenes. IARC Cancer Review: Group 2B for Ethylbenzene. IARC Cancer Review: Group 3 for Methyl methacrylate.
<u>Reproductive Toxicity:</u>	Based on available data, the classification criteria are not met.
<u>STOT - Single exposure:</u>	May cause respiratory irritation.
<u>STOT - Repeated exposure:</u>	May cause damage to organs through prolonged or repeated exposure.
<u>Aspiration hazard:</u>	Based on available data, the classification criteria are not met.
<u>Inhalation:</u>	Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.
<u>Skin contact:</u>	The product contains xylene which may penetrate the skin.
<u>Ingestion:</u>	May irritate and cause malaise.
<u>Specific effects:</u>	Frequent inhalation of even small concentrations may cause irritability, fatigue, memory failure and in time permanent damage to the nervous system, including the brain, and possibly liver and kidneys, too.

SAFETY DATA SHEET

Product name:	EUKITT	Page:	11/13
Revision Date:	2018-12-04	Print date:	2018-12-04
Document No.:	M0035	SDS-ID:	CA-EN/20.0

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity: The product contains a substance which has a photochemical ozone creation potential.

Persistence and degradability

Degradability: The degradability of the product has not been stated.

Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

Mobility in soil

Mobility: No data available.

Results of PBT and vPvB assessment

PBT/vPvB: No information available.

Other adverse effects

Other adverse effects: No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues: Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

Contaminated packaging: Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

SAFETY DATA SHEET

Product name:	EUKITT	Page:	12/13
Revision Date:	2018-12-04	Print date:	2018-12-04
Document No.:	M0035	SDS-ID:	CA-EN/20.0

14. TRANSPORT INFORMATION

UN number

UN-No: 1307

UN proper shipping name

Proper Shipping Name: XYLENES

Additional IMDG information:

EmS: F-E, S-D

MFAG: 1

Transport hazard class(es)

Class: 3

Packing group

PG: III

Environmental hazards

Marine pollutant: No.

Environmentally Hazardous substance: No.

Special precautions for user

Special precautions: None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific to the product

Special provisions: This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

DSL: All chemicals included in the product are DSL listed or exempt.

National regulation: Hazardous Products Regulations, with amendments.
British Columbia: Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, with amendments (2015).
Ontario: Control of Exposure to Biological or Chemical Agents R.R.O. 1990, Reg. 833, with amendments (2016).
Quebec: Regulation respecting the quality of the work environment, with amendments (2013-12-13).
Alberta: Occupational Health and Safety Code 2009.

SAFETY DATA SHEET

Product name:	EUKITT	Page:	13/13
Revision Date:	2018-12-04	Print date:	2018-12-04
Document No.:	M0035	SDS-ID:	CA-EN/20.0

16. OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 6, 9.

The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Additional information:

Classification according to WHMIS 2015:
Calculation method.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
www.dhigroup.com.
