

# SAFETY DATA SHEET



|                |                  |             |            |
|----------------|------------------|-------------|------------|
| Product name:  | TRANSCOPY LIQUID | Page:       | 1/10       |
| Revision Date: | 2018-11-09       | Print date: | 2018-11-09 |
| Document No.:  | M0001            | SDS-ID:     | CA-EN/19.0 |

---

## 1. IDENTIFICATION

### Product identifier

Product name: TRANSCOPY LIQUID  
Cat. No. 40900090, 40900092

CAS-No.: 141-78-6

EC No.: 205-500-4

REACH Reg. No.: 01-2119475103-46-xxxx

Container size: 40 ml

### Recommended use and restrictions on use

Application: Replication system for materialographic surfaces.

### Details of the supplier of the safety data sheet

Supplier: Struers Ltd  
7275 West Credit Avenue  
Ontario L5N 5M9 Mississauga  
Canada  
Tel: +1 (905) 8148855

Responsible for safety data sheet authoring: Responsible for safety data sheet authoring: DHI  
Any questions to the contents of this safety data sheet should be sent to:  
struers@struers.dk

### Emergency telephone number

Alberta & NWT:  
Poison & Drug Information Service (PADIS): 1-800-332-1414

British Columbia:  
Drug and Poison Information Centre (DPIC): 604-682-5050 / 1-800-567-8911

Ontario:  
Poison Centre: 1-800-268-9017

Québec:  
Poison Control Centre: 1-800-463-5060

Infotrac:  
1-800-535-5053

Struers CAN:  
+1 (905) 8148855  
(Only during office hours)

## 2. HAZARDS IDENTIFICATION

### Classification of the hazardous product

WHMIS 2015: Flammable Liquids — Category 2  
Eye Irritation — Category 2  
Specific Target Organ Toxicity — Single Exposure — Category 3 (narcotic effects)

---

# SAFETY DATA SHEET

|                |                  |             |            |
|----------------|------------------|-------------|------------|
| Product name:  | TRANSCOPY LIQUID | Page:       | 2/10       |
| Revision Date: | 2018-11-09       | Print date: | 2018-11-09 |
| Document No.:  | M0001            | SDS-ID:     | CA-EN/19.0 |

## Label elements



### Danger

- |                    |  |
|--------------------|--|
| H225               | Highly flammable liquid and vapour.  |
| H319               | Causes serious eye irritation.   |
| H336               | May cause drowsiness or dizziness.   |
| P210               | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                   |
| P271               | Use only outdoors or in a well-ventilated area.  |
| P280               | Wear protective gloves/protective clothing/eye protection/face protection  |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P501               | Dispose of contents/container in accordance with local regulations.  |
|                    |  |
| P233               | Keep container tightly closed.   |
| P240               | Ground and bond container and receiving equipment.   |
| P241               | Use explosion-proof electrical, ventilating and lighting equipment.  |
| P242               | Use non-sparking tools.  |
| P243               | Take action to prevent static discharges.  |
| P264               | Wash contaminated skin thoroughly after handling.  |
| P261               | Avoid breathing gas, fume, vapours or spray.   |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.                                     |
| P304 + P340        | IF INHALED: Remove person to fresh air and keep comfortable for breathing.   |
| P312               | Call a POISON CENTER/doctor if you feel unwell.  |
| P337 + P313        | If eye irritation persists: Get medical advice/attention.  |
| P370 + P378        | In case of fire: Use alcohol resistant foam, carbon dioxide or dry powder to extinguish.   |
| P403 + P233        | Store in a well-ventilated place. Keep container tightly closed.   |
| P405               | Store locked up.   |

## Other hazards

The product is highly flammable, and explosive vapors/air mixtures may be formed even at normal room temperatures. Organic solvents may be absorbed into the body by inhalation and ingestion and cause permanent damage to the nervous system, including the brain.

PBT/vPvB: No information available.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

|                |                  |             |            |
|----------------|------------------|-------------|------------|
| Product name:  | TRANSCOPY LIQUID | Page:       | 3/10       |
| Revision Date: | 2018-11-09       | Print date: | 2018-11-09 |
| Document No.:  | M0001            | SDS-ID:     | CA-EN/19.0 |

---

## **Substances**

The product contains: solvents.

WHMIS 2015:

| <u>%:</u> | <u>CAS-No.:</u> | <u>EC No.:</u> | <u>REACH Reg. No:</u> | <u>Chemical name:</u> | <u>Hazard classification:</u>   | <u>Notes:</u> |
|-----------|-----------------|----------------|-----------------------|-----------------------|---|---------------|
| 100       | 141-78-6        | 205-500-4      | -                     | Ethyl acetate         | Flammable Liquids<br>Category 2<br>Eye Irritation Category 2<br>Specific Target Organ<br>Toxicity Single Exposure<br>Category 3 |               |

## **4. FIRST-AID MEASURES**

### **Description of first-aid measures**

**Burns:** Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

**Inhalation:** Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and take along these instructions.

**Skin contact:** Remove contaminated clothes and rinse skin thoroughly with water.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Continue flushing during transport to hospital. Bring along these instructions.

**Ingestion:** Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions. Do not induce vomiting.

### **Most important symptoms and effects, both acute and delayed**

**Symptoms/effects:** See section 11 for more detailed information on health effects and symptoms.

### **Indication of any immediate medical attention and special treatment needed**

**Medical attention/treatments:** Treat symptomatically.

---

# SAFETY DATA SHEET

|                |                  |             |            |
|----------------|------------------|-------------|------------|
| Product name:  | TRANSCOPY LIQUID | Page:       | 4/10       |
| Revision Date: | 2018-11-09       | Print date: | 2018-11-09 |
| Document No.:  | M0001            | SDS-ID:     | CA-EN/19.0 |

---

## 5. FIRE-FIGHTING MEASURES

### Extinguishing media

Extinguishing media: Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

### Specific hazards arising from the hazardous product

Specific hazards: Vapors are heavier than air and may travel along the floor and in the bottom of containers. Vapors may be ignited by a spark, a hot surface or an ember.

### Advice for fire-fighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Protective equipment: Do not smoke or use open fire, or other sources of ignition. Avoid inhalation of vapors and contact with skin and eyes. For personal protection, see section 8. (\*)

Emergency procedures: No specific recommendations. For personal protection, see section 8. (\*)

### Environmental precautions

Environmental precautions: Do not discharge into drains, water courses or onto the ground.

### Methods and material for containment and cleaning up

Spill Cleanup Methods: Absorb spillage with non-combustible, absorbent material.

### Reference to other items

References: For personal protection, see section 8. For waste disposal, see section 13.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Safe handling advice: Avoid inhalation of vapors and contact with skin and eyes. Observe good chemical hygiene practices.

Technical measures: Do not smoke or use open fire or other sources of ignition. Take precautionary measures against static discharges.

Technical precautions: Mechanical ventilation may be required. Provide easy access to water supply and eye wash facilities.

### Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: Follow rules for flammable liquids.

Storage conditions: Store in tightly closed original container in a dry, cool and well-ventilated place. Avoid contact with oxidizing agents.

### Specific end-use(s)

Specific use(s): No information available.

---

# SAFETY DATA SHEET

|                |                  |             |            |
|----------------|------------------|-------------|------------|
| Product name:  | TRANSCOPY LIQUID | Page:       | 5/10       |
| Revision Date: | 2018-11-09       | Print date: | 2018-11-09 |
| Document No.:  | M0001            | SDS-ID:     | CA-EN/19.0 |

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Other provincial OEL's may apply.

Occupational exposure limits:

| <u>CAS-No.:</u> | <u>Chemical name:</u> | <u>As:</u> | <u>Exposure limits:</u> |            | <u>Type:</u> | <u>Notes:</u> | <u>References:</u> |
|-----------------|-----------------------|------------|-------------------------|------------|--------------|---------------|--------------------|
| 141-78-6        | Ethyl acetate         | -          | 400 ppm                 | 1440 mg/m3 | TWA          | -             | Quebec             |
| 141-78-6        | Ethyl acetate         | -          | 400 ppm                 | 1440 mg/m3 | TWA          | 3             | Alberta            |
| 141-78-6        | Ethyl acetate         | -          | 150 ppm                 |            | TWA          | -             | BC                 |

### Exposure controls

Engineering measures: Provide adequate ventilation. Observe occupational exposure limits and minimise the risk of inhalation of vapours. An eye wash bottle must be available at the work site.

Personal protection: Personal protection equipment should be chosen according to relevant standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation and work of brief duration, use suitable respiratory equipment. Use respiratory equipment with gas filter, type A2.

Hand protection: Butyl rubber gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Wear face shield if there is risk of splashes.

Skin protection: Wear apron or protective clothing in case of splashes.

Hygiene measures: Wash hands after handling.

Environmental Exposure Controls: Not available.

# SAFETY DATA SHEET

Product name: TRANSCOPY LIQUID  
Revision Date: 2018-11-09  
Document No.: M0001

Page: 6/10  
Print date: 2018-11-09  
SDS-ID: CA-EN/19.0

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

(\*)

|   |   |
|---|---|
| <u>Form:</u>                                    | Liquid.   |
| <u>Colour:</u>                                  | Colourless.   |
| <u>Odour:</u>                                   | odour of alcohol                                      |
| <u>Odour threshold:</u>                         | Not available.  |
| <u>pH:</u>                                      | Not available.  |
| <u>Melting point:</u>                           | -83°C   |
| <u>Boiling point:</u>                           | 77°C  |
| <u>Flash point:</u>                             | -4°C  |
| <u>Evaporation rate:</u>                        | Not available.  |
| <u>Flammability (solid, gas):</u>               | Not available.  |
| <u>Explosion limits:</u>                        | 2,1-11,5 vol%   |
| <u>Vapour pressure:</u>                         | 93 hPa (20°C)   |
| <u>Vapour density:</u>                          | Not available.  |
| <u>Relative density:</u>                        | 0,9   |
| <u>Solubility:</u>                              | partly soluble in water                               |
| <u>Partition coefficient (n-octanol/water):</u> | 0,73 (20°C)   |
| <u>Auto-ignition temperature (°C):</u>          | 460°C   |
| <u>Decomposition temperature (°C):</u>          | Not available.  |
| <u>Viscosity:</u>                               | Dynamic viscosity: 0,44 mPa*s (20°C)                  |
| <u>Explosive properties:</u>                    | Not available.  |
| <u>Oxidising properties:</u>                    | Not available.  |
| <b><u>Other information</u></b>                 |   |
| <u>Other data:</u>                              | Volatile Organic Compound (VOC): 902 g/l (calculated) |

# SAFETY DATA SHEET

|                |                  |             |            |
|----------------|------------------|-------------|------------|
| Product name:  | TRANSCOPY LIQUID | Page:       | 7/10       |
| Revision Date: | 2018-11-09       | Print date: | 2018-11-09 |
| Document No.:  | M0001            | SDS-ID:     | CA-EN/19.0 |

---

## 10. STABILITY AND REACTIVITY

### Reactivity

Reactivity: No data available.

### Chemical stability

Stability: Stable under normal temperature conditions.

### Possibility of hazardous reactions

Hazardous Reactions: No data available.

### Conditions to avoid

Conditions/materials to avoid: Avoid heat, flames and other sources of ignition.

### Incompatible materials

Incompatible materials: Strong oxidizing substances.

### Hazardous decomposition products

Hazardous decomposition products: No data available.

## 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

Acute Toxicity (Oral): Based on available data, the classification criteria are not met.

Acute Toxicity (Dermal): Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Causes serious eye irritation.

Respiratory or skin sensitization: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.  
National Toxicology Program (NTP): No.  
IARC Not Listed.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: May cause drowsiness or dizziness.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: Vapors and spray mist may irritate throat and respiratory system and cause coughing. In high concentrations, vapors are narcotic and may cause headache, fatigue, dizziness and nausea.

Skin contact: Prolonged contact may cause redness, irritation and dry skin.

Ingestion: May irritate and cause malaise.

Specific effects: Prolonged or frequent inhalation of vapors in high concentrations may cause permanent damage to the nervous system, including the brain.

---

# SAFETY DATA SHEET

|                |                  |             |            |
|----------------|------------------|-------------|------------|
| Product name:  | TRANSCOPY LIQUID | Page:       | 8/10       |
| Revision Date: | 2018-11-09       | Print date: | 2018-11-09 |
| Document No.:  | M0001            | SDS-ID:     | CA-EN/19.0 |

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Ecotoxicity: The environmental hazard of the product is considered to be limited.

### Persistence and degradability

Degradability: The degradability of the product has not been stated.

### Bioaccumulative potential

Bioaccumulative potential: Partition coefficient (n-octanol/water): 0,73 (20°C)

### Mobility in soil

Mobility: No data available.

### Results of PBT and vPvB assessment

PBT/vPvB: No information available.

### Other adverse effects

Other adverse effects: No information available.

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Waste from residues: Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

Contaminated packaging: Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

---

# SAFETY DATA SHEET

Product name: TRANSCOPY LIQUID  
Revision Date: 2018-11-09  
Document No.: M0001

Page: 9/10  
Print date: 2018-11-09  
SDS-ID: CA-EN/19.0

---

## 14. TRANSPORT INFORMATION

The product is covered by international regulation on the transport of dangerous goods (IMDG, IATA).

### UN number

UN-No: 1173

### UN proper shipping name

Proper Shipping Name: ETHYL ACETATE

Additional IMDG information:

EmS: F-E, S-D

MFAG: 1

### Transport hazard class(es)

Class: 3

### Packing group

PG: II

### Environmental hazards

Marine pollutant: No.

Environmentally Hazardous substance: No.

### Special precautions for user

Special precautions: None known.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant

---

# SAFETY DATA SHEET

|                |                  |             |            |
|----------------|------------------|-------------|------------|
| Product name:  | TRANSCOPY LIQUID | Page:       | 10/10      |
| Revision Date: | 2018-11-09       | Print date: | 2018-11-09 |
| Document No.:  | M0001            | SDS-ID:     | CA-EN/19.0 |

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations specific to the product

Special provisions: This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.  
DSL: All chemicals included in the product are DSL listed or exempt.

National regulation: Hazardous Products Regulations, with amendments.  
Canadian Environmental Protection Act, Reporting for the Domestic Substances List (DSL), with amendments.  
U.S. Department of health and human services: 2011 - Report on Carcinogens - 12th Edition.  
International Agency for Research on Cancer (IARC): IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon: IARC, World Health Organization.  
British Columbia: Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, with amendments (2015).  
Ontario: Control of Exposure to Biological or Chemical Agents R.R.O. 1990, Reg. 833, with amendments (2016).  
Quebec: Regulation respecting the quality of the work environment, with amendments (2013-12-13).  
Alberta: Occupational Health and Safety Code 2009.

## 16. OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 6, 9.

The (\*) indicates the changes made with respect to the previous version.

Approved by DHI.



Additional information: Classification according to WHMIS 2015:  
Calculation method.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.  
[www.dhigroup.com](http://www.dhigroup.com).