

Product name:	DP-SUSPENSION P/M	Page:	1/8
Revision date:	2020-02-25	Print date:	2020-02-25
Document No.:	M0020	SDS-ID:	SG-EN/18.0

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name: DP-SUSPENSION P/M

Cat. No. 40600227, 40600228, 40600229, 40600247, 40600248, 40600249, 40600250, 40600251, 40600252, 40600253, 40600254, 40600255, 40600256, 40600297, 40600339, 40600340, 40600341, 40600342, 40600343, 40600344, 40600345, 40600346, 40600353, 40600354, 40600355, 40600356, 40600357, 40600358, 40600359, 40600360, 40600361, 40600362, 40600363, 40600364.

Container size: 125 ml; 500 ml; 2,5 l; 5 l

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: For grinding and polishing of materialographic specimens.

Uses advised against: No specific uses advised against are identified. (\*)

### 1.3. Details of the supplier of the safety data sheet

Supplier: Struers ApS, Singapore Branch  
627A Aljunied Road  
#07-08 BizTech Centre  
389842 Singapore  
Tel: +65 6299 2268

Responsible for safety data sheet authoring: Responsible for safety data sheet authoring: DHI  
Any questions to the contents of this safety data sheet should be sent to: struers@struers.dk

### 1.4. Emergency telephone number

24-hour Emergency Medical Service (EMS): 995.

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

GHS: The product is not classified.

### 2.2. Label elements

The substance/mixture does not meet the criteria for classification and labelling.

### 2.3. Other hazards

Contains a mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.  
May cause minor irritation on skin contact.

PBT/vPvB: No information available.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

The product contains: water and additives. (\*)

# SAFETY DATA SHEET

Product name:	DP-SUSPENSION P/M	Page:	2/8
Revision date:	2020-02-25	Print date:	2020-02-25
Document No.:	M0020	SDS-ID:	SG-EN/18.0

GHS:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
<0.0015	55965-84-9	611-341-5	-	A mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	Acute dermal toxicity Cat 2 Acute inhalation toxicity Cat 2 Acute oral toxicity Cat 3 Skin Corr. 1C;H314 Serious eye damage/eye irritation Cat 1 Skin sensitizer Cat 1A Aquatic, Acute Cat 1 Aquatic, Chronic Cat 1	

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

Inhalation: Move into fresh air and keep at rest.

Skin contact: Remove contaminated clothes and rinse skin thoroughly with water. In case of eczema or other skin disorders: Seek medical attention and bring these instructions.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If uncomfortable: Seek hospital and bring along these instructions.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

### 4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards: In case of fire, toxic gases may be formed. (\*)

### 5.3. Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

# SAFETY DATA SHEET

Product name:	DP-SUSPENSION P/M	Page:	3/8
Revision date:	2020-02-25	Print date:	2020-02-25
Document No.:	M0020	SDS-ID:	SG-EN/18.0

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### **6.1. Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel: Avoid contact with skin and eyes. For personal protection, see section 8.

For emergency responders: No specific recommendations. For personal protection, see section 8.

### **6.2. Environmental precautions**

Environmental precautions: No specific precautions.

### **6.3. Methods and material for containment and cleaning up**

Methods for cleaning up: Dam and absorb spillage with sand, sawdust or other absorbent.

### **6.4. Reference to other sections**

Reference: For personal protection, see section 8. For waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### **7.1. Precautions for safe handling**

Safe handling advice: Avoid contact with skin and eyes. Observe good chemical hygiene practices.

Technical measures: Work practice should minimise contact.

Technical precautions: Local exhaust is recommended.

### **7.2. Conditions for safe storage, including any incompatibilities**

Technical measures for safe storage: No special precautions.

Storage conditions: Store in tightly closed original container. Store at room temperature.

### **7.3. Specific end use(s)**

Specific use(s): No information available.

---

# SAFETY DATA SHEET

Product name:	DP-SUSPENSION P/M	Page:	4/8
Revision date:	2020-02-25	Print date:	2020-02-25
Document No.:	M0020	SDS-ID:	SG-EN/18.0

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

No occupational exposure limit assigned.

### 8.2. Exposure controls

#### Engineering measures:

Local exhaust is recommended.

#### Personal protection:

Personal protection equipment should be chosen according to the ANSI standards and in discussion with the supplier of the personal protective equipment.

#### Respiratory equipment:

In case of inadequate ventilation use suitable respirator. It is recommended to use respiratory equipment with combination filter, type A2/P3.

#### Hand protection:

Risk of contact: Wear protective gloves. Nitrile gloves are recommended. The most suitable glove must be chosen in collaboration with the gloves supplier, who can inform about the breakthrough time of the glove material.  
Breakthrough time: >480 min (\*)

#### Eye protection:

Risk of splashes: Wear goggles/face shield.

#### Skin protection:

No special precautions.

#### Environmental Exposure Controls:

Not available.

---

# SAFETY DATA SHEET

Product name:	DP-SUSPENSION P/M	Page:	5/8
Revision date:	2020-02-25	Print date:	2020-02-25
Document No.:	M0020	SDS-ID:	SG-EN/18.0

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<u>Form:</u>	liquid
<u>Colour:</u>	White. / Black.
<u>Odour:</u>	Odourless.
<u>Odour threshold:</u>	Not available.
<u>pH:</u>	7,0 - 7,5
<u>Melting point:</u>	Not available.
<u>Boiling point:</u>	100°C
<u>Flash point:</u>	>100°C
<u>Evaporation rate:</u>	Not available.
<u>Flammability (solid, gas):</u>	Not available.
<u>Explosion limits:</u>	Not available.
<u>Vapour pressure:</u>	Not available.
<u>Vapour density:</u>	Not available.
<u>Relative density:</u>	1,0
<u>Solubility:</u>	Soluble in: solvents and water
<u>Partition coefficient (n-octanol/water):</u>	Not available.
<u>Auto-ignition temperature (°C):</u>	Not available.
<u>Decomposition temperature (°C):</u>	Not available.
<u>Viscosity:</u>	Not available.
<u>Explosive properties:</u>	Not available.
<u>Oxidising properties:</u>	Not available.

### 9.2. Other information

<u>Other data:</u>	Volatile Organic Compound (VOC): 5 g/l (calculated)
--------------------	---

---

# SAFETY DATA SHEET

Product name:	DP-SUSPENSION P/M	Page:	6/8
Revision date:	2020-02-25	Print date:	2020-02-25
Document No.:	M0020	SDS-ID:	SG-EN/18.0

---

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity: No data available.

### 10.2. Chemical stability

Stability: Stable under normal temperature conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: None under normal conditions.

### 10.4. Conditions to avoid

Conditions/materials to avoid: None specific.

### 10.5. Incompatible materials

Incompatible materials: No information available.

### 10.6. Hazardous decomposition products

Hazardous decomposition products: None in particular.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

Acute Toxicity (Oral): Based on available data, the classification criteria are not met.

Acute Toxicity (Dermal): Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: Not relevant at normal room temperatures.

Skin contact: Prolonged contact may cause redness and irritation.

Eye contact: Splashes may irritate.

Ingestion: No harmful effects expected in amounts likely to be ingested by accident.

Specific effects: No information available.

---

# SAFETY DATA SHEET

Product name:	DP-SUSPENSION P/M	Page:	7/8
Revision date:	2020-02-25	Print date:	2020-02-25
Document No.:	M0020	SDS-ID:	SG-EN/18.0

---

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecotoxicity: The product is not expected to be hazardous to the environment.

### 12.2. Persistence and degradability

Degradability: The product is easily biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

### 12.4. Mobility in soil

Mobility: No data available.

### 12.5. Results of PBT and vPvB assessment

PBT/vPvB: No information available.

### 12.6. Other adverse effects

Other adverse effects: No information available.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Waste from residues: Dispose of waste and residues in accordance with local authority requirements.

Contaminated packaging: Dispose of waste and residues in accordance with local authority requirements.

## SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA).

### 14.1. UN number

UN-No: -

### 14.2. UN proper shipping name

Proper Shipping Name: -

### 14.3. Transport hazard class(es)

Class: -

### 14.4. Packing group

PG: -

### 14.5. Environmental hazards

Marine pollutant: -

Environmentally Hazardous -

Substance:

### 14.6. Special precautions for user

Special precautions: None known.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant.

---

# SAFETY DATA SHEET

Product name:	DP-SUSPENSION P/M	Page:	8/8
Revision date:	2020-02-25	Print date:	2020-02-25
Document No.:	M0020	SDS-ID:	SG-EN/18.0

---

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation: Singapore Standard SS 586: Part 2 : 2014; Globally harmonised system of classification and labelling of chemicals - Singapore's adaptations.  
Singapore Standard SS 586: Part 3 : 2014; Preparation of safety data sheets (SDS).

## SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1, 3, 5, 8.

The (\*) indicates the changes made with respect to the previous version.

Approved by DHI.



Abbreviations and acronyms used in the safety data sheet: PBT = Persistent, Bioaccumulative and Toxic.  
vPvB = very Persistent and very Bioaccumulative.

Additional information: Classification according to Singapore Standard SS 586: Part 2 : 2014:  
Calculation method.

---

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.  
[www.dhigroup.com](http://www.dhigroup.com).

---