

 Product name:
 OP-S NONDRY
 Page:
 1/9

 Revision:
 2020-02-26
 Print date:
 2020-02-26

 Document No.:
 M0222
 SDS-ID:
 GB-EN/3.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: OP-S NONDRY

Batch No. ≥8193-01

Cat. No. 40700064, 40700065

Container size: 1; 5 L

1.2. Relevant identified uses of the substance or mixture and uses advised against

<u>Application:</u> Polishing agent for materialographic specimen preparation.

<u>Uses advised against:</u> No specific uses advised against are identified. (*)

1.3. Details of the supplier of the safety data sheet

Supplier: Struers ApS

Pederstrupvej 84 DK-2750 Ballerup Tel:+45 44 600 800

Responsible for safety data Responsible for safety data sheet authoring: DHI

<u>sheet authoring:</u> Any questions to the contents of this safety data sheet should be sent to:

struers@struers.dk

1.4. Emergency telephone number

NHS: 111

+45 44 600 800

(Only during office hours)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP: The product is not classified.

2.2. Label elements

The substance/mixture does not meet the criteria for classification, but the

following labelling must be applied:

Contains A mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an

allergic reaction.

Safety data sheet available on request.

2.3. Other hazards

PBT/vPvB: No information available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: silica and water. (*)

 Product name:
 OP-S NONDRY
 Page:
 2/9

 Revision:
 2020-02-26
 Print date:
 2020-02-26

 Document No.:
 M0222
 SDS-ID:
 GB-EN/3.0

CLP:

<u>%: CAS-No.: EC No.: REACH Reg. Chemical name: Hazard classification: Notes:</u>

No:

<25 25322-68-3 500-038-2 - Polyethylene glycol -</p>

<0.0015 55965-84-9 611-341-5 - A mixture of: 5-chloro-2- Acute Tox. 2;H310</p>

methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

Acute Tox. 3;H301 Skin Corr. 1C;H314 Eye Dam. 1;H318 Skin Sens. 1A;H317

Acute Tox. 2:H330

Aquatic Acute 1;H400 Aquatic Chronic 1;H410

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

<u>Inhalation:</u> Move into fresh air and keep at rest.

Skin contact: Remove contaminated clothes and rinse skin thoroughly with water.

Eve contact: Immediately flush with plenty of water for at least 15 minutes. Remove any

contact lenses and open eyelids widely. If irritation persists: Seek medical

attention and bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable take to hospital along with these

instructions. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing media: No specific precautions.

5.2. Special hazards arising from the substance or mixture

<u>Specific hazards:</u> In case of fire, toxic gases may be formed.

5.3. Advice for firefighters

Protective equipment for fire- Selection of respiratory protection for fire fighting: follow the general fire

fighters: precautions indicated in the workplace.

 Product name:
 OP-S NONDRY
 Page:
 3/9

 Revision:
 2020-02-26
 Print date:
 2020-02-26

 Document No.:
 M0222
 SDS-ID:
 GB-EN/3.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency Avoid contact with skin and eyes. For personal protection, see section 8.

personnel:

For emergency responders: No specific recommendations. For personal protection, see section 8.

6.2. Environmental precautions

<u>Environmental</u> Avoid discharge into water courses or onto the ground.

precautions:

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Dam and absorb spillage with sand, sawdust or other absorbent.

6.4. Reference to other sections

<u>References:</u> For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Avoid contact with skin and eyes. Observe good chemical hygiene practices.

<u>Technical measures:</u> Work practice should minimise contact.

<u>Technical precautions:</u> Local exhaust is recommended.

7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

Storage conditions: Store in tightly closed original container. Store at room temperature.

7.3. Specific end use(s)

Specific use(s): No information available.

 Product name:
 OP-S NONDRY
 Page:
 4/9

 Revision:
 2020-02-26
 Print date:
 2020-02-26

 Document No.:
 M0222
 SDS-ID:
 GB-EN/3.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

(*)

Occupational exposure limits:

CAS-No.:	Chemical name:	<u>As:</u>	Exposure limits:	Type:	Notes:	References:
-	Silica, amorphous, respirable dust	-	2.4 mg/m3	TWA	-	EH40
-	Silica, amorphous, inhalable dust	-	6 mg/m3	TWA	-	EH40

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe occupational exposure limits and

minimise the risk of inhalation.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation and work of brief duration, use suitable

respiratory equipment. Use respiratory equipment with combination filter, type

A2/P2.

Hand protection: Risk of contact: Wear protective gloves. Nitrile gloves are recommended. The

most suitable glove must be chosen in consultation with the gloves supplier,

who can inform about the breakthrough time of the glove material.

Thickness: 0,35 mm

Breakthrough time: ≥ 480 min (*)

Eye protection: Risk of splashes: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of contact.

Environmental Exposure

Controls:

Not available.

 Product name:
 OP-S NONDRY
 Page:
 5/9

 Revision:
 2020-02-26
 Print date:
 2020-02-26

 Document No.:
 M0222
 SDS-ID:
 GB-EN/3.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Form: Liquid.

Odour: Odourless.

Odour threshold: Not available.

 pH:
 9-10

 Melting point:
 0°C

 Boiling point:
 100°C

Flash point:Not relevant.Evaporation rate:Not available.Flammability (solid, gas):Not available.Explosive limitsNot relevant.Vapour pressure:Not available.Vapour density:Not available.

Relative density: 1-1.2

Solubility: Miscible with water.

Partition coefficient (n-

octanol/water):

Not available.

Auto-ignition Not available.

temperature (°C):

<u>Decomposition</u> Not available.

temperature (°C):

<u>Viscosity:</u> Not available. <u>Explosive properties:</u> Not available. <u>Oxidising properties:</u> Not available.

9.2. Other information

Other data: Volatile Organic Compound (VOC): 0 g/l (calculated)

 Product name:
 OP-S NONDRY
 Page:
 6/9

 Revision:
 2020-02-26
 Print date:
 2020-02-26

 Document No.:
 M0222
 SDS-ID:
 GB-EN/3.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: None under normal conditions.

10.2. Chemical stability

Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

<u>Hazardous Reactions:</u> None under normal conditions.

10.4. Conditions to avoid

Conditions/materials to avoid: None specific.

10.5. Incompatible materials

<u>Incompatible materials:</u> Strong oxidising substances, strong acids and strong bases.

10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> In case of fire, toxic gases may be formed.

products:

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral):

Acute Toxicity (Dermal):

Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation):

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

<u>Germ cell mutagenicity:</u>

<u>Carcinogenicity:</u>

<u>Reproductive Toxicity:</u>

<u>Based on available data, the classification criteria are not met.</u>

<u>Based on available data, the classification criteria are not met.</u>

<u>Based on available data, the classification criteria are not met.</u>

<u>Based on available data, the classification criteria are not met.</u>

<u>Based on available data, the classification criteria are not met.</u>

<u>Based on available data the classification criteria are not met.</u>

<u>Based on available data, the classification criteria are not met.</u>

<u>Based on available data, the classification criteria are not met.</u>

<u>Based on available data, the classification criteria are not met.</u>

<u>Based on available data, the classification criteria are not met.</u>

Inhalation: Not relevant at normal room temperatures. When heated, harmful vapours may

be formed.

Skin contact: Prolonged contact may cause redness and irritation.

Eye contact: Splashes may irritate.

<u>Ingestion:</u> May irritate and cause malaise.

 Product name:
 OP-S NONDRY
 Page:
 7/9

 Revision:
 2020-02-26
 Print date:
 2020-02-26

 Document No.:
 M0222
 SDS-ID:
 GB-EN/3.0

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

<u>Ecotoxicity:</u> The product is not expected to be hazardous to the environment.

12.2. Persistence and degradability

<u>Degradability:</u> The degradability of the product has not been stated.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: No information available.

12.6. Other adverse effects

Other adverse effects: No information available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues: Dispose of waste and residues in accordance with local authority requirements.

EWC-code:16 05 09

Contaminated packaging: Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

<u>UN-No:</u> -

14.2. UN proper shipping name

Proper Shipping Name: -

14.3. Transport hazard class(es)

Class: -

14.4. Packing group

PG: -

14.5. Environmental hazards

Marine pollutant:

Environmentally Hazardous

substance:

14.6. Special precautions for user

<u>Special precautions:</u> None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

<u>Transport in bulk:</u> Not relevant.

 Product name:
 OP-S NONDRY
 Page:
 8/9

 Revision:
 2020-02-26
 Print date:
 2020-02-26

 Document No.:
 M0222
 SDS-ID:
 GB-EN/3.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

EH40/2005, Workplace exposure limits 2005, with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: No chemical safety assessment has been carried out.

 Product name:
 OP-S NONDRY
 Page:
 9/9

 Revision:
 2020-02-26
 Print date:
 2020-02-26

 Document No.:
 M0222
 SDS-ID:
 GB-EN/3.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1, 3, 8.

The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

<u>Abbreviations and acronyms</u> PBT = Persistent, Bioaccumulative and Toxic. <u>used in the safety data sheet:</u> vPvB = very Persistent and very Bioaccumulative.

Additional information: Classification according to Regulation (EC) No. 1272/2008:

Calculation method.

Wording of H-statements:

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.