

 Product name:
 SHELL GADUS S2 V220 00
 Page:
 1/10

 Revision Date:
 2020-01-27
 Print date:
 2020-01-27

 Document No.:
 M0205
 SDS-ID:
 US-EN/3.0

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name: SHELL GADUS S2 V220 00

Cat. No. 16080803, 16080846

Relevant identified uses of the substance or mixture and uses advised against

Application: Lubricating grease.

<u>Uses advised against:</u> No specific uses advised against are identified. (\*)

Details of the supplier of the safety data sheet

Supplier: Struers ApS

Pederstrupvej 84 DK-2750 Ballerup Tel:+45 44 600 800

Responsible for material Responsible for material safety data sheet authoring: DHI

safety data sheet authoring: Any questions to the contents of this material safety data sheet should be sent to:

struers@struers.dk

Emergency telephone number

National Capital Poison Center: 1-800-222-1222

Infotrac:

1-800-535-5053 Struers US: 1-440-871-0071

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

OSHA 2012: The product is not classified.

Label elements

The substance/mixture does not meet the criteria for classification and labeling.

Other hazards

PBT/vPvB: No information available.

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation and

eczema/chapping. The harmful effects may increase in used grease. Prolonged or repeated contact with used grease may cause serious skin diseases, such as

dermatitis. Greases are generally hazardous to the environment.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Mixtures**

The product contains: Highly refined mineral oil and additives. DMSO < 3% (IP 346)

 Product name:
 SHELL GADUS S2 V220 00
 Page:
 2/10

 Revision Date:
 2020-01-27
 Print date:
 2020-01-27

 Document No.:
 M0205
 SDS-ID:
 US-EN/3.0

OSHA 2012:

<u>%:</u> <u>CAS-No.:</u> <u>EC No.:</u> <u>REACH Reg.</u> <u>Chemical name:</u> <u>Hazard classification:</u> <u>Notes:</u>

No:

0.1-0.9 1338-24-5 215-662-8 - Naphthenic acids Skin Irritant Category 2

Eye irritant Category 2A Skin Sensitizer Category

1B

# **SECTION 4: FIRST AID MEASURES**

#### **Description of first aid measures**

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or

coughing: Seek medical attention and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of rashes, wounds or other skin disorders: Seek medical attention and

bring along these instructions.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any

contact lenses and open eyelids widely. If irritation persists: Seek medical

attention and bring along these instructions.

Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable seek hospital and bring these

instructions. Do not induce vomiting.

#### Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

#### Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this

will spread the fire.

#### Special hazards arising from the substance or mixture

<u>Specific hazards:</u> During fire, health hazardous gases may be formed.

Advice for firefighters

Protective equipment for fire- Selection of respiratory protection for fire fighting: follow the general fire

<u>fighters:</u> precautions indicated in the workplace.

 Product name:
 SHELL GADUS S2 V220 00
 Page:
 3/10

 Revision Date:
 2020-01-27
 Print date:
 2020-01-27

 Document No.:
 M0205
 SDS-ID:
 US-EN/3.0

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

For non-emergency Avoid inhalation of oil mist and contact with skin and eyes. In case of spills, personnel: beware of slippery floors and surfaces. For personal protection, see section 8.

For emergency responders: No specific recommendations. For personal protection, see section 8.

**Environmental precautions** 

Environmental Do not discharge into drains, water courses or onto the ground.

precautions:

#### Methods and material for containment and cleaning up

Spill Cleanup Methods: Absorb spillage with oil-absorbing material. Clean contaminated area with oil-

removing material.

Reference to other sections

References: For personal protection, see section 8.

For waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### Precautions for safe handling

Safe handling advice: Avoid inhalation of oil mist and contact with skin and eyes. Always remove

grease with soap and water or skin cleaning agent, never use organic solvents.

Observe good chemical hygiene practices.

<u>Technical measures:</u> Work practice should minimize contact.

<u>Technical precautions:</u> When working with heated grease, mechanical ventilation may be required.

#### Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

Storage conditions: Store in tightly closed original container in a dry, cool and well-ventilated place.

Specific end use(s)

Specific use(s): No information available.

 Product name:
 SHELL GADUS S2 V220 00
 Page:
 4/10

 Revision Date:
 2020-01-27
 Print date:
 2020-01-27

 Document No.:
 M0205
 SDS-ID:
 US-EN/3.0

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

(\*)

Occupational exposure limits:

CAS-No.:	Chemical name:	As:	Exposure limits:	Type:	Notes:	References:
-	Oil mineral, mist	-	5 mg/m3	TWA	-	OSHA
-	Mineral oil, excluding metal working fluids (pure, highly and severely refined), inhalable particulate matter	-	5 mg/m3	TWA	A4	ACGIH
-	Mineral oil, excluding metal working fluids (poorly and mildly refined)	-			A2	ACGIH

Notes: A2: Suspected Human Carcinogen.

A4: Not Classifiable as a Human Carcinogen.

**Exposure controls** 

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and

minimize the risk of inhalation of vapors and oil mist. Provide access to

washing facilities incl. soap, skin cleanser and fatty cream.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the ANSI

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation or risk of inhalation of oil mist, suitable

respiratory equipment with combination filter (type A2/P3) can be used.

Hand protection: Risk of contact: Wear protective gloves. Nitrile gloves are recommended. The

most suitable glove must be chosen in consultation with the gloves supplier,

who can inform about the breakthrough time of the glove material.

Breakthrough time: >480 min Thickness: >0.35 mm (\*)

Eve protection: Risk of contact: Wear goggles/face shield.

Skin protection: No special precautions.

Environmental Exposure

Controls:

Not available.

 Product name:
 SHELL GADUS S2 V220 00
 Page:
 5/10

 Revision Date:
 2020-01-27
 Print date:
 2020-01-27

 Document No.:
 M0205
 SDS-ID:
 US-EN/3.0

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# Information on basic physical and chemical properties

Form: Grease.

Color: Brown.

Odor: Hydrocarbon. Odor threshold: Not available. <u>рН:</u> Not applicable. Melting point: Not available. **Boiling point:** Not available. Not applicable. Flash point: Evaporation rate: Not available. Flammability (solid, gas): Not available. 1 - 10% (V) **Explosion limits:** <0.5 Pa (68°F) Vapor pressure:

Relative density: 0.9

Solubility: insoluble in water

Partition coefficient (n- Not available.

octanol/water):

Vapor density:

Auto-ignition >608°F

temperature (°F):

<u>Decomposition</u> Not available.

temperature (°F):

<u>Viscosity:</u> Not available. <u>Explosive properties:</u> Not available. <u>Oxidizing properties:</u> Not available.

Other information

Other data: Volatile Organic Compound (VOC): 0 g/l

Not available.

 Product name:
 SHELL GADUS S2 V220 00
 Page:
 6/10

 Revision Date:
 2020-01-27
 Print date:
 2020-01-27

 Document No.:
 M0205
 SDS-ID:
 US-EN/3.0

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Reactivity: None known.

**Chemical stability** 

Stability: Stable under normal temperature conditions.

Possibility of hazardous reactions

<u>Hazardous Reactions:</u> None known.

Conditions to avoid

<u>Conditions/materials to avoid:</u> Extremes of temperatures. Direct sunlight.

**Incompatible materials** 

<u>Incompatible materials:</u> Strong oxidizing substances.

**Hazardous decomposition products** 

<u>Hazardous decomposition</u> None known.

products:

 Product name:
 SHELL GADUS S2 V220 00
 Page:
 7/10

 Revision Date:
 2020-01-27
 Print date:
 2020-01-27

 Document No.:
 M0205
 SDS-ID:
 US-EN/3.0

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### Information on toxicological effects

The harmful effects may increase in used grease.

Acute Toxicity (Oral): Based on available data, the classification criteria are not met. Acute Toxicity (Dermal): Based on available data, the classification criteria are not met. Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met. Skin Corrosion/Irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met. Respiratory or skin Based on available data the classification criteria are not met. sensitization: Contains Naphthenic acids. May produce an allergic reaction. Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity:

National Toxicology Program (NTP): No.

IARC Cancer Review: Group 3 for Highly-refined oils.

OSHA: No.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

<u>Inhalation:</u> Inhalation of oil mist or vapors formed during heating of the product will irritate

the respiratory system and provoke coughing.

Skin contact: Prolonged or repeated contact with skin may cause redness, itching, irritation and

eczema/chapping. Prolonged or repeated contact with used grease may cause

serious skin diseases, such as dermatitis.

<u>Eye contact:</u> Direct contact may irritate.

<u>Ingestion:</u> May irritate and cause malaise.

<u>Additional information:</u> Handling of used oils:

Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil.

Contact your local authority for any used oil disposal instructions.

 Product name:
 SHELL GADUS S2 V220 00
 Page:
 8/10

 Revision Date:
 2020-01-27
 Print date:
 2020-01-27

 Document No.:
 M0205
 SDS-ID:
 US-EN/3.0

# **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity** 

Ecotoxicity: Greases are generally hazardous to the environment.

Persistence and degradability

<u>Degradability:</u> This product is expected to be heavily biodegradable.

**Bioaccumulative potential** 

Bioaccumulative potential: No data available on bioaccumulation.

Mobility in soil

Mobility: No data available.

Results of PBT and vPvB assessment

PBT/vPvB: No information available.

Other adverse effects

Other adverse effects: None known.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

<u>Waste from residues:</u> Dispose of waste and residues in accordance with local authority requirements.

# **SECTION 14: TRANSPORT INFORMATION**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, DOT).

**UN number** 

UN-No:

UN proper shipping name

Proper Shipping Name: -

Transport hazard class(es)

Class: -

Packing group

<u>PG:</u> -

**Environmental hazards** 

Marine pollutant: -

Environmentally Hazardous

substance:

Special precautions for user

Special precautions: None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

<u>Transport in bulk:</u> Not known.

 Product name:
 SHELL GADUS S2 V220 00
 Page:
 9/10

 Revision Date:
 2020-01-27
 Print date:
 2020-01-27

 Document No.:
 M0205
 SDS-ID:
 US-EN/3.0

#### **SECTION 15: REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>Special provisions:</u> State and local regulation may apply.

TSCA: The ingredients of this product are on the TSCA Inventory.

NFPA Rating: Health:1 Fire:1 Reactivity:0 Other:-

SARA Section 304: Naphthenic acids

SARA (311/312) Hazard categories: No.

National regulation: The following lists have been checked:

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and

Health Standards, Air contaminants (OSHA), with amendments.

NIOSH Pocket Guide to Chemical Hazards.

Threshold Limit Values (2019), ACGIH, by the American Conference on

Governmental Industrial Hygienists.

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and

Health Standards, Hazard Communication, with amendments.

U.S. Department of health and human services: 2016 - Report on Carcinogens -

14th Edition.

International Agency for Research on Cancer (IARC): IARC Monographs on the

Evaluation of Carcinogenic Risks to Humans. Lyon: IARC, World Health

Organization.

State of California. Environmental Protection Agency. California Proposition 65,

with amendments.

The Code of Federal Regulation. Title 40, part 372.65. Toxic Chemical Release

Reporting: Community Right to Know.

 Product name:
 SHELL GADUS S2 V220 00
 Page:
 10/10

 Revision Date:
 2020-01-27
 Print date:
 2020-01-27

 Document No.:
 M0205
 SDS-ID:
 US-EN/3.0

#### **SECTION 16: OTHER INFORMATION**

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1, 8.

The (\*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

<u>Abbreviations and acronyms</u> PBT = Persistent, Bioaccumulative and Toxic. <u>used in the safety data sheet:</u> vPvB = very Persistent and very Bioaccumulative.

Additional information: Classification according to HCS 2012:

Calculation method.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.