

Product name:	PRE-MOUNT	Page:	1/9
Revision Date:	2016-12-02	Print date:	2016-12-02
Document No.:	M0052	SDS-ID:	US-EN/15.1

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING** Product identifier PRE-MOUNT Product name: Cat. No. 40101001, 40101003, 40101005 Container size: 10 kg Relevant identified uses of the substance or mixture and uses advised against Application: For embedding of materialographic specimens Details of the supplier of the safety data sheet Supplier: Struers ApS Pederstrupvej 84 DK-2750 Ballerup Tel:+45 44 600 800 Responsible for material Responsible for material safety data sheet authoring: DHI Any questions to the contents of this material safety data sheet should be sent to: safety data sheet authoring: struers@struers.dk Emergency telephone number

Emergency telephone: National Capital Poison Center: 1-800-222-1222 (*)

Infotrac: 1-800-535-5053 Struers US: 1-440-871-0071

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA 2012:

The product is not classified.

Label elements

The substance/mixture does not meet the criteria for classification, but the following labeling must be applied:

Contains Methenamine. May produce an allergic reaction. Safety data sheet available on request.

NFPA Rating: Health:1 Fire:1 Reactivity:0 Other:-

Other hazards

Fine particles may form explosive vapor/air mixtures. Inhalation of dust may irritate the respiratory system. May irritate eyes and skin.

PBT/vPvB: Not relevant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixtures</u>

Product name:	PRE-MOUNT	Page:	2/9
Revision Date:	2016-12-02	Print date:	2016-12-02
Document No.:	M0052	SDS-ID:	US-EN/15.1

The product contains: resin.

OSHA 2012:

<u>%:</u>	CAS-No.:	<u>EC No.:</u>	<u>REACH Reg.</u> <u>No:</u>	Chemical name:	Hazard classification:	<u>Notes:</u>
5-10	100-97-0	202-905-8	01-2119474895- 20-xxxx	Methenamine	Flam. Sol. 2;H228 Skin Sens. 1;H317	
<1	108-95-2	203-632-7	01-2119471329- 32-xxxx	Phenol	Muta. 2;H341 Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 3;H301 STOT RE 2;H373 Skin Corr. 1B;H314	

References:

The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

Description of first aid measures			
Inhalation:	Move into fresh air and keep at rest.		
Skin contact:	Remove contaminated clothes and rinse skin thoroughly with water.		
<u>Eye contact:</u>	Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring these instructions.		
Ingestion:	Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.		
Most important symptoms and	d effects, both acute and delayed		
Symptoms/effects:	See section 11 for more detailed information on health effects and symptoms.		
Indication of any immediate m	nedical attention and special treatment needed		
Medical attention/treatments:	Not known.		
SECTION 5: FIREFIGHTING MEASURES			
Extinguishing media			
Extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.		

Special hazards arising from the substance or mixture

<u>Specific hazards:</u> The product is non-combustible. If heated, toxic vapors may be formed.

Advice for firefighters

Protective equipment for fire-	Selection of respiratory protection for fire fighting: follow the general fire
<u>fighters:</u>	precautions indicated in the workplace.

Product name:	PRE-MOUNT	Page:	3/9
Revision Date:	2016-12-02	Print date:	2016-12-02
Document No.:	M0052	SDS-ID:	US-EN/15.1

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal precautions:	Follow precautions for safe handling described in this safety data sheet. Avoid contact with skin and eyes. Avoid inhalation of dust and vapors.		
Environmental precautions			
Environmental precautions:	Avoid discharge into drains, water courses or onto the ground.		
Methods and material for cont	tainment and cleaning up		
Spill Cleanup Methods:	Collect spillage with shovel, broom or the like and reuse, if possible. Dispose of large amounts of spillage/waste according to agreement with local authorities.		
Reference to other sections			
References:	For personal protection, see section 8. For waste disposal, see section 13.		

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Safe handling advice:	Avoid inhalation of dust and contact with skin and eyes. Observe good chemical hygiene practices.
Technical measures:	Work practice should minimize contact. Use work methods which minimize dust production.
Technical precautions:	Local exhaust is recommended.
Conditions for safe storage, in	ncluding any incompatibilities
<u>Technical measures for safe</u> storage:	No special precautions.
Storage conditions:	Store in tightly closed original container. Store at room temperature.
Specific end use(s)	
<u>Specific use(s):</u>	Not relevant.

Product name:	PRE-MOUNT	Page:	4/9
Revision Date:	2016-12-02	Print date:	2016-12-02
Document No.:	M0052	SDS-ID:	US-EN/15.1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits:

CAS-No.:	Chemical name:	<u>As:</u>	<u>Exposur</u>	e limits:	<u>Type:</u>	Notes:	References:
108-95-2	Phenol	-	5 ppm	19 mg/m3	TWA	Skin	OSHA
-	Particulates not otherwise regulated (PNOR), total dust	-		15 mg/m3	TWA	-	OSHA
-	Particulates not otherwise regulated (PNOR), respirable fraction	-		5 mg/m3	TWA	-	OSHA
108-95-2	Phenol	-	5 ppm		TWA	Skin; A4; BEI	ACGIH
-	Particles (Insoluble o Poorly Soluble), not Otherwise Specified, respirable particles			3 mg/m3	TWA	-	ACGIH
-	Particles (Insoluble o Poorly Soluble), not Otherwise Specified, inhalable particles			10 mg/m3	TWA	-	ACGIH
Notes:		Skin: Dange	ssifiable as a left er of cutaneou bsorption. (OS	s absorption.	-		
Exposure co	<u>ntrols</u>						
Engineering	measures:		equate ventila le risk of inhal			al Exposure Lir ommended.	nits and
Personal pro	<u>tection:</u>		and in discuss			ccording to the personal prote	
Respiratory of	equipment:					duration, use s vith combinatic	
Hand protec	tion:	most suitab	le glove must	be chosen in	consultation	es are recomm with the glove glove material	s supplier,
Eye protection	on:	Risk of con	tact: Wear go	ggles/face shi	eld.		
Skin protecti	on:	Wear apror	n or protective	clothing in ca	se of contac	t.	
Hygiene mea	asures:	Wash hand	ls after handlir	ng.			
Environment Controls:	al Exposure	Not availab	le.				

Product name:	PRE-MOUNT	Page:	5/9
Revision Date:	2016-12-02	Print date:	2016-12-02
Document No.:	M0052	SDS-ID:	US-EN/15.1

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

<u>Form:</u>	Powder.
Color:	Black.
<u>Odor:</u>	Phenolic.
<u>рН:</u>	Not available.
Boiling point:	Not available.
Flash point:	Not available.
Explosion limits:	Not available.
Relative density:	Not available.
Solubility:	insoluble in water
Other information	
Other data:	Volatile Organic Compound (VOC): < 10 g/l (calculated)

SECTION 10: STABILITY AND REACTIVITY

Reactivity

products:

Reactivity	
Reactivity:	None known.
Chemical stability	
<u>Stability:</u>	Stable under normal temperature conditions.
Possibility of hazardous reaction	ons
Hazardous Reactions:	None known.
Conditions to avoid	
Conditions/materials to avoid:	Avoid contact with acids and oxidizing substances. Avoid dust close to ignition sources.
Incompatible materials	
Incompatible materials:	None known.
Hazardous decomposition products	
Hazardous decomposition	When heated and in case of fire, toxic vapors/gases may be formed.

Product name:	PRE-MOUNT	Page:	6/9
Revision Date:	2016-12-02	Print date:	2016-12-02
Document No.:	M0052	SDS-ID:	US-EN/15.1

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects		
Acute Toxicity (Oral):	Based on available data, the classification criteria are not met.	
Acute Toxicity (Dermal):	Based on available data, the classification criteria are not met.	
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.	
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.	
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.	
<u>Respiratory or skin</u> sensitization:	Test has determined that the product is not sensitizing by skin contact.	
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.	
Carcinogenicity:	Based on available data, the classification criteria are not met.	
Reproductive Toxicity:	Based on available data, the classification criteria are not met.	
STOT - Single exposure:	Based on available data, the classification criteria are not met.	
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.	
Aspiration hazard:	Based on available data, the classification criteria are not met.	
Inhalation:	Dust may irritate throat and respiratory system and cause coughing. Vapors liberated during curing of the product may in high concentrations irritate the throat and respiratory system and cause coughing.	
Skin contact:	Prolonged contact may cause redness and irritation. Phenol can be absorbed through the skin and cause chronic poisoning.	
Eye contact:	Dust may cause irritation.	
Ingestion:	No harmful effects expected in amounts likely to be ingested by accident.	
Specific effects:	Contains a small amount of a substance/group of substances with possible risks of irreversible effects.	
	Carcinogenicity: IARC Cancer Review: Group 3 for Phenol. National Toxicology Program (NTP): No. OSHA: No.	

Product name:	PRE-MOUNT	Page:	7/9
Revision Date:	2016-12-02	Print date:	2016-12-02
Document No.:	M0052	SDS-ID:	US-EN/15.1

SECTION 12: ECOLOGICAL INFORMATION

Toxicity		
Ecotoxicity:	The environmental hazard of the product is considered to be limited.	
Persistence and degradability		
<u>Degradability:</u>	There are no data on the degradability of this product.	
Bioaccumulative potential		
Bioaccumulative potential:	No data available on bioaccumulation.	
Mobility in soil		
<u>Mobility:</u>	No data available.	
Results of PBT and vPvB assessment		
<u>PBT/vPvB:</u>	Not relevant.	
Other adverse effects		
Other adverse effects:	None known.	

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Note that fully cured material is not considered as hazardous waste.

Waste from residues: EWC-code: 16 05 09

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, DOT).

<u>UN number</u>		
<u>UN-No:</u>	-	
UN proper shipping name		
Proper Shipping Name:	-	
Transport hazard class(es)		
<u>Class:</u>	-	
Packing group		
<u>PG:</u>	-	
Environmental hazards		
Marine pollutant:	-	
Environmentally Hazardous substance:	-	
Special precautions for user		
Special precautions:	None known.	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		
Transport in bulk:	Not relevant.	

Product name:	PRE-MOUNT	Page:	8/9
Revision Date:	2016-12-02	Print date:	2016-12-02
Document No.:	M0052	SDS-ID:	US-EN/15.1

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions:	TSCA: Listed or exempted.
National regulation:	
	Europe/USA:
	This Material Safety Data Sheet has been prepared according to the EU- regulation.
	The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and Health Standards, Air contaminants (OSHA), with amendments. NIOSH Pocket Guide to Chemical Hazards.
	International Agency for Research on Cancer (IARC): IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon: IARC, World Health Organization.

Product name:	PRE-MOUNT	Page:	9/9
Revision Date:	2016-12-02	Print date:	2016-12-02
Document No.:	M0052	SDS-ID:	US-EN/15.1

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1. The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Additional information:	Classification according to HCS 2012: On basis of test data.
Wording of H-statements:	
H228	Flammable solid.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs through prolonged or repeated exposure.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.