

# Product Data Sheet



**Struers ApS**  
Pederstrupvej 84  
2750 Ballerup, Denmark

Phone +45 44 600 800  
Fax +45 44 600 803  
struers@struers.dk  
www.struers.com

**Product Name**                      **MD/DP-Floc-T**

<b>Cat. no.</b>	40500423	MD-Floc-T, 200 mm (8") dia.
	40500424	MD-Floc-T, 250 mm (10") dia.
	40500425	MD-Floc-T, 300 mm (12") dia.
	40500426	MD-Floc-T, 350 mm (14") dia.
	40500420	DP-Floc-T, 200 mm (8") dia.
	40500421	DP-Floc-T, 250 mm (10") dia.
40500422	DP-Floc-T, 300 mm (12") dia.	

**Revision**                              21-03-2017

---

**Description**                              Short synthetic nap.

**Material**                                      Regenerated cellulose fibres glued on a base textile with an adhesive backing / on a metal plate.

**Properties**                                      DP-Floc-T to be applied on a preparation disc. DP-Floc-T is self-adhesive. MD-Floc-T for magnetic fixation on MD-Disc. Black screen printing on the rear.

Re-usable.

**Application**                                      For polishing of materialographic specimens. To be used with Struers diamond polishing products and lubricants.

**Health and Safety**

- Whilst the MD/DP-Floc-T is rotating, ensure hands are kept well clear of the edge and out of the splash bowl.
- Do not exceed a rotational speed of 600 rpm.

To the best of Struers' knowledge, the products listed above do not contain any Substances of Very High Concern (SVHC) according to REACH regulations (amended on 20<sup>th</sup> June 2016) above 0.1%.

According to Article 3(3) of the REACH Regulation (EC) No 1907/2006, this product is considered an article and is defined as *"an object which during production is given a special shape, surface or design which determines its function to a greater degree than its chemical composition"*.

Therefore this product is exempted from CLP obligations and is outside the scope of the UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

See Instructions for Use for more information.

**Skin protection**

Wear protective gloves during polishing.


**Respiratory Protection**

It is recommended that the polishing machine is adequately ventilated during use of MD-Floc-T / DP-Floc-T.

**Environmental precautions**

Dispose of waste and residues as metal waste in accordance with local authority requirements.

Approved by:



Krista Huggins

Chemical Safety Specialist  
Struers ApS.