

SAFETY DATA SHEET



Product name:	EPOFIX HARDENER	Page:	1/9
Revision Date:	2018-04-17	Print date:	2018-04-17
Document No.:	M0026	SDS-ID:	CA-EN/18.0

1. IDENTIFICATION

Product identifier

Product name: EPOFIX HARDENER
Cat. No. 40200029, 40200031, 40200087

CAS-No.: 112-24-3

EC No.: 203-950-6

REACH Reg. No: -

Container size: 130 ml, 500 ml

Recommended use and restrictions on use

Application: For embedding and impregnation of materialographic specimens

Details of the supplier of the safety data sheet

Supplier: Struers Ltd
7275 West Credit Avenue
Ontario L5N 5M9 Mississauga
Canada
Tel: +1 (905) 8148855

Responsible for safety data sheet authoring: Responsible for safety data sheet authoring: DHI
Any questions to the contents of this safety data sheet should be sent to:
struers@struers.dk

Emergency telephone number

Alberta & NWT:
Poison & Drug Information Service (PADIS): 1-800-332-1414

British Columbia:
Drug and Poison Information Centre (DPIC): 604-682-5050 / 1-800-567-8911

Ontario:
Poison Centre: 1-800-268-9017

Québec:
Poison Control Centre: 1-800-463-5060

Infotrac:
1-800-535-5053

Struers CAN:
+1 (905) 8148855
(Only during office hours)

SAFETY DATA SHEET

Product name:	EPOFIX HARDENER	Page:	2/9
Revision Date:	2018-04-17	Print date:	2018-04-17
Document No.:	M0026	SDS-ID:	CA-EN/18.0

2. HAZARDS IDENTIFICATION

Classification of the hazardous product

WHMIS 2015:

- Acute (Oral) Toxicity — Category 4 (*)
- Acute (Dermal) Toxicity — Category 4
- Skin Corrosion — Category 1B
- Serious Eye Damage — Category 1
- Skin Sensitizer — Category 1

Label elements

(*)



Danger

H302 + H312 Harmful if swallowed or in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

P280 Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local regulations.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

Other hazards

Vapors are corrosive. After 24-36 hours, injured persons may develop serious shortness of breath and lung edema.

PBT/vPvB: No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

SAFETY DATA SHEET

Product name:	EPOFIX HARDENER	Page:	3/9
Revision Date:	2018-04-17	Print date:	2018-04-17
Document No.:	M0026	SDS-ID:	CA-EN/18.0

The product contains: hardener. (*)

WHMIS 2015:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
100	112-24-3	203-950-6	-	Triethylenetetramine	Acute (Oral) Toxicity Category 4 Acute (Dermal) Toxicity Category 4 Skin Corrosion Category 1B Serious Eye Damage Category 1 Skin Sensitizer Category 1 Aquatic Chronic Toxicity Category 3	

4. FIRST-AID MEASURES

Description of first-aid measures

Inhalation: Move injured person into fresh air immediately. Call an ambulance. Be aware that symptoms of lung edema (shortness of breath) may develop up to 24 hours after exposure. Bring these instructions. (*)

Skin contact: Flush immediately with plenty of water and remove contaminated clothing. Call an ambulance, continue to rinse during transportation to hospital and take along these instructions. (*)

Eye contact: Immediately flush with plenty of water. Remove any contact lenses and open eyes wide apart. Call an ambulance and continue flushing during transportation to hospital taking along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water or milk. Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport immediately to hospital and bring along these instructions. (*)

Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SAFETY DATA SHEET

Product name:	EPOFIX HARDENER	Page:	4/9
Revision Date:	2018-04-17	Print date:	2018-04-17
Document No.:	M0026	SDS-ID:	CA-EN/18.0

5. FIRE-FIGHTING MEASURES

Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media: None known.

Specific hazards arising from the hazardous product

Specific hazards: By heating and fire, very toxic nitrogen oxides may be formed.

Advice for fire-fighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation of vapors and contact with skin and eyes. (*)

Environmental precautions

Environmental precautions: Do not discharge into drains, water courses or onto the ground.

Methods and material for containment and cleaning up

Spill Cleanup Methods: Absorb spillage with non-combustible, absorbent material.

Reference to other items

References: For personal protection, see section 8. For waste disposal, see section 13.

7. HANDLING AND STORAGE

Precautions for safe handling

Safe handling advice: Avoid inhalation of vapors and contact with skin and eyes. (*)
Observe good chemical hygiene practices.

Technical measures: Work practice should minimize contact.

Technical precautions: Local exhaust is recommended. Provide easy access to water supply and eye wash facilities.

Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool and well-ventilated place.

Specific end-use(s)

Specific use(s): No information available.

SAFETY DATA SHEET

Product name:	EPOFIX HARDENER	Page:	5/9
Revision Date:	2018-04-17	Print date:	2018-04-17
Document No.:	M0026	SDS-ID:	CA-EN/18.0

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No occupational exposure limit assigned.

Exposure controls

Engineering measures: Mix and prepare in a place with efficient exhaust ventilation. Local exhaust is recommended. An eye wash bottle must be available at the work site.

Personal protection: Personal protection equipment should be chosen according to relevant standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation and work of brief duration, use suitable respiratory equipment. It is recommended to use respiratory equipment with combination filter, type ABEK

Hand protection: Use disposable gloves protecting against epoxy along with cotton gloves closest to the skin. Laminate (PE/EVOH) gloves are recommended. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Wear goggles/face shield.

Skin protection: Wear suitable protective clothing as protection against splashing or contamination.

Environmental Exposure Controls: Not available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form: Liquid.

Colour: Yellow

Odour: Amine.

pH: 10.7 (ISO 8975)

Melting point: -35°C

Boiling point: 270-300°C

Flash point: 129°C

Explosion limits: Not available.

Vapour pressure: < 0.1 hPa (20 °C)

Relative density: 0.94-0.98

Solubility: soluble in water

Partition coefficient (n-octanol/water): Not available.

Viscosity: Dynamic viscosity: 20 - 30 mPa.s (25 °C)

Other information

Other data: Volatile Organic Compound (VOC): 0 g/l

SAFETY DATA SHEET

Product name:	EPOFIX HARDENER	Page:	6/9
Revision Date:	2018-04-17	Print date:	2018-04-17
Document No.:	M0026	SDS-ID:	CA-EN/18.0

10. STABILITY AND REACTIVITY

Reactivity

Reactivity: None under normal conditions.

Chemical stability

Stability: Stable under normal temperature conditions.

Possibility of hazardous reactions

Hazardous Reactions: None under normal conditions.

Conditions to avoid

Conditions/materials to avoid: Heating. Direct sunlight.

Incompatible materials

Incompatible materials: No information available.

Hazardous decomposition products

Hazardous decomposition products: When heated and in case of fire, very toxic nitrogen oxides are formed.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute Toxicity (Oral): Harmful if swallowed. (*)
LD50 (oral, rat): 1716.2 mg/kg (*)

Acute Toxicity (Dermal): Harmful in contact with skin.
Acute Toxicity (Dermal LD50): 1720 mg/kg (Rat) (*)

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Causes severe skin burns and eye damage.

Serious eye damage/irritation: Causes serious eye damage.

Respiratory or skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.
National Toxicology Program (NTP): No.
IARC Not Listed.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: Vapors are corrosive. After 24-36 hours, injured persons may develop serious shortness of breath and lung edema. (*)

Ingestion: Strongly corrosive. Even small amounts may be fatal. Symptoms are severe burning pains in mouth, throat and stomach. (*)

SAFETY DATA SHEET

Product name:	EPOFIX HARDENER	Page:	7/9
Revision Date:	2018-04-17	Print date:	2018-04-17
Document No.:	M0026	SDS-ID:	CA-EN/18.0

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity: Harmful to aquatic life with long lasting effects.

Persistence and degradability

Degradability: The degradability of the product has not been stated.

Bioaccumulative potential

Bioaccumulative potential: log Pow: -2.65 (*)

Mobility in soil

Mobility: No data available.

Results of PBT and vPvB assessment

PBT/vPvB: No information available.

Other adverse effects

Other adverse effects: No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues: Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Note that fully cured material is not considered as hazardous waste.

Contaminated packaging: Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

SAFETY DATA SHEET

Product name:	EPOFIX HARDENER	Page:	8/9
Revision Date:	2018-04-17	Print date:	2018-04-17
Document No.:	M0026	SDS-ID:	CA-EN/18.0

14. TRANSPORT INFORMATION

The product is covered by international regulation on the transport of dangerous goods (IMDG, IATA).

UN number

UN-No: 2259

UN proper shipping name

Proper Shipping Name: TRIETHYLENETETRAMINE

Additional IMDG information:

EmS: F-A,S-B

MFAG: 1

Segregation Group: Alkaline

Transport hazard class(es)

Class: 8

Packing group

PG: II

Environmental hazards

Marine pollutant: No.

Environmentally Hazardous substance: No.

Special precautions for user

Special precautions: None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant

SAFETY DATA SHEET

Product name:	EPOFIX HARDENER	Page:	9/9
Revision Date:	2018-04-17	Print date:	2018-04-17
Document No.:	M0026	SDS-ID:	CA-EN/18.0

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific to the product

Special provisions: This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

DSL: All chemicals included in the product are DSL listed or exempt.

National regulation: Hazardous Products Regulations.
Canadian Environmental Protection Act, Reporting for the Domestic Substances List (DSL), with amendments.
Department of Justice. Canadian Environmental Protection Act 1999 (CEPA), 1999, c. 33, with amendments.
British Columbia: Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, with amendments (2015).
Ontario: Control of Exposure to Biological or Chemical Agents R.R.O. 1990, Reg. 833, with amendments (2016).
Quebec: Regulation respecting the quality of the work environment, with amendments (2013-12-13).
U.S. Department of health and human services: 2011 - Report on Carcinogens - 12th Edition.
International Agency for Research on Cancer (IARC): IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon: IARC, World Health Organization.

Not relevant

16. OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 2, 3, 4, 6, 7, 11, 12.
The (*) indicates the changes made with respect to the previous version.

Approved by DHI.



Additional information: Classification according to WHMIS 2015:
Calculation method.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
www.dhigroup.com.