

Product name:	OP-S SUSPENSION	Page:	1/8
Revision Date:	2018-12-05	Print date:	2018-12-05
Document No.:	M0027	SDS-ID:	AU-EN/16.0

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product name: OP-S SUSPENSION  
Cat. No. 40700000, 40700001

Container size: 1; 5 l

### Relevant identified uses of the substance or mixture and uses advised against

Application: Polishing agent for materialographic specimen preparation.

### Details of the supplier of the safety data sheet

Supplier: Struers Australia  
27 Mayneview Street  
Milton QLD 4064, Australia

Responsible for safety data sheet authoring: Responsible for safety data sheet authoring: DHI  
Any questions to the contents of this safety data sheet should be sent to:  
struers@struers.dk

### Emergency telephone number

Australian Poisons Information Centre: 13 11 26.

+61 7 3512 9600  
(Only during office hours)

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the substance or mixture

WHS: The product is not classified.

### Label elements

The substance/mixture does not meet the criteria for classification, but the following labelling must be applied:

Contains A mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Safety data sheet available on request.

### Other hazards

PBT/vPvB: No information available.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Mixtures

The product contains: silica, organic solvents and water.

# SAFETY DATA SHEET

Product name:	OP-S SUSPENSION	Page:	2/8
Revision Date:	2018-12-05	Print date:	2018-12-05
Document No.:	M0027	SDS-ID:	AU-EN/16.0

WHS:

%:	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
50-70	7732-18-5	231-791-2	-	Water	-	
10-30	112945-52-5	-	-	Siliciumdioxide, Amorphous	-	
5-20	107-88-0	203-529-7	-	1,3-Butandiol	-	
<0.0015	55965-84-9	-	-	A mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 3;H301 Skin Corr. 1B;H314 Skin Sens. 1;H317 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	

References: The full text for all hazard statements is displayed in section 16.

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

Inhalation: Move into fresh air and keep at rest.

Skin contact: Remove contaminated clothes and rinse skin thoroughly with water.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable take to hospital along with these instructions. Do not induce vomiting.

### Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

### Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: No specific precautions.

### Special hazards arising from the substance or mixture

Specific hazards: No specific precautions.

### Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

# SAFETY DATA SHEET

Product name:	OP-S SUSPENSION	Page:	3/8
Revision Date:	2018-12-05	Print date:	2018-12-05
Document No.:	M0027	SDS-ID:	AU-EN/16.0

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Protective equipment: Avoid contact with skin and eyes. For personal protection, see section 8. (\*)

Emergency procedures: No specific recommendations. For personal protection, see section 8. (\*)

### Environmental precautions

Environmental precautions: Avoid discharge into water courses or onto the ground.

### Methods and material for containment and cleaning up

Spill Cleanup Methods: Dam and absorb spillage with sand, sawdust or other absorbent.

### Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for safe handling

Safe handling advice: Avoid contact with skin and eyes. Observe good chemical hygiene practices.

Technical measures: Work practice should minimise contact.

Technical precautions: Local exhaust is recommended.

### Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: No special precautions.

Storage conditions: Store frostfree in closed original container. Store at room temperature.

### Specific end use(s)

Specific use(s): No information available.

---

# SAFETY DATA SHEET

Product name:	OP-S SUSPENSION	Page:	4/8
Revision Date:	2018-12-05	Print date:	2018-12-05
Document No.:	M0027	SDS-ID:	AU-EN/16.0

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Occupational exposure limits:

<u>CAS-No.:</u>	<u>Chemical name:</u>	<u>As:</u>	<u>Exposure limits:</u>	<u>Type:</u>	<u>Notes:</u>	<u>References:</u>
7631-86-9	Fumed silica (respirable - dust)		2 mg/m3	TWA	-	NOHSC

### Exposure controls

Engineering measures: Provide adequate ventilation. Observe occupational exposure limits and minimise the risk of inhalation.

Personal protection: Personal protection equipment should be chosen according to relevant AS/NZS standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation and work of brief duration, use suitable respiratory equipment. It is recommended to use respiratory equipment with combination filter, type A2/P2.

Hand protection: Risk of contact: Wear protective gloves. Nitrile gloves are recommended.

Eye protection: Risk of splashes: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of splashes.

Environmental Exposure Controls: Not available.

# SAFETY DATA SHEET

Product name: OP-S SUSPENSION  
Revision Date: 2018-12-05  
Document No.: M0027

Page: 5/8  
Print date: 2018-12-05  
SDS-ID: AU-EN/16.0

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

(\*)

<u>Form:</u>	Liquid.
<u>Odour:</u>	Odourless.
<u>Odour threshold:</u>	Not available.
<u>pH:</u>	9-10
<u>Melting point:</u>	0°C
<u>Boiling point:</u>	100°C
<u>Flash point:</u>	Not relevant.
<u>Evaporation rate:</u>	Not available.
<u>Flammability (solid, gas):</u>	Not available.
<u>Explosion limits:</u>	Not relevant.
<u>Vapour pressure:</u>	Not available.
<u>Vapour density:</u>	Not available.
<u>Relative density:</u>	1-1.2
<u>Solubility:</u>	Miscible with water.
<u>Partition coefficient (n-octanol/water):</u>	Not available.
<u>Auto-ignition temperature (°C):</u>	Not available.
<u>Decomposition temperature (°C):</u>	Not available.
<u>Viscosity:</u>	Not available.
<u>Explosive properties:</u>	Not available.
<u>Oxidising properties:</u>	Not available.

### Other information

Other data: Volatile Organic Compound (VOC): 100 g/l (calculated)

# SAFETY DATA SHEET

Product name:	OP-S SUSPENSION	Page:	6/8
Revision Date:	2018-12-05	Print date:	2018-12-05
Document No.:	M0027	SDS-ID:	AU-EN/16.0

---

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

Reactivity: No data available.

### Chemical stability

Stability: Stable under normal temperature conditions.

### Possibility of hazardous reactions

Hazardous Reactions: No data available.

### Conditions to avoid

Conditions/materials to avoid: No information available.

### Incompatible materials

Incompatible materials: No information available.

### Hazardous decomposition products

Hazardous decomposition products: None in particular.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on toxicological effects

Acute Toxicity (Oral): Based on available data, the classification criteria are not met.

Acute Toxicity (Dermal): Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.  
National Toxicology Program (NTP): No.  
I.A.R.C. Monographs: No.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Skin contact: Prolonged contact may cause redness and irritation.

Eye contact: Splashes may irritate.

---

# SAFETY DATA SHEET

Product name:	OP-S SUSPENSION	Page:	7/8
Revision Date:	2018-12-05	Print date:	2018-12-05
Document No.:	M0027	SDS-ID:	AU-EN/16.0

---

## SECTION 12: ECOLOGICAL INFORMATION

### Toxicity

Ecotoxicity: The product is not expected to be hazardous to the environment.

### Persistence and degradability

Degradability: The degradability of the product has not been stated.

### Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

### Mobility in soil

Mobility: No data available.

### Results of PBT and vPvB assessment

PBT/vPvB: No information available.

### Other adverse effects

Other adverse effects: No information available.

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

Waste from residues: Dispose of waste and residues in accordance with local authority requirements.

Contaminated packaging: Dispose of waste and residues in accordance with local authority requirements.

## SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADG).

### UN number

UN-No: -

### UN proper shipping name

Proper Shipping Name: -

### Transport hazard class(es)

Class: -

### Packing group

PG: -

### Environmental hazards

Marine pollutant: -

Environmentally Hazardous substance: -

### Special precautions for user

Special precautions: None known.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant.

---

# SAFETY DATA SHEET

Product name:	OP-S SUSPENSION	Page:	8/8
Revision Date:	2018-12-05	Print date:	2018-12-05
Document No.:	M0027	SDS-ID:	AU-EN/16.0

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: AICS: Listed.

National regulation: Work Health and Safety Regulations 2011, with amendments.  
National model Code of Practice for the Labelling of Workplace Hazardous Chemicals (2011), with amendments.  
National model Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals (2011), with amendments.  
Workplace exposure standards for airborne contaminants (2018).  
The Industrial Chemicals (Notification and Assessment) Act 1989, as amended.

## SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 6, 9.

The (\*) indicates the changes made with respect to the previous version.

Approved by DHI.



Additional information: Classification according to WHS Regulations 2011:  
Calculation method.

### Wording of H-statements:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.  
[www.dhigroup.com](http://www.dhigroup.com).